

Part I

Identification number of the feed additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Minimum content	Maximum content	Other provisions	End of period of authorisation
						CFU/kg of complete feedingstuff with a moisture content of 12%		CFU/l of water for drinking			
Category: zootechnical additives. Functional group: gut flora stabilisers											
4b1900	Biochem Zusatzstoffe Handels- und Produktionsges. mbH	<i>Weizmannia faecalis</i> DSM 32016	<p>Additive composition Preparation of <i>Weizmannia faecalis</i> DSM 32016 containing a minimum of 2×10^{10} CFU/g additive Solid form</p> <p>Characterisation of the active substance Viable spores of <i>Weizmannia faecalis</i> DSM 32016</p> <p>Analytical method ⁽¹⁾ Identification: DNA sequencing methods or Pulsed Field Gel Electrophoresis (PFGE) - CEN/TS 17697. Enumeration in the feed additive,</p>	<p>All poultry species reared for laying</p> <p>All poultry species reared for breeding</p>	-	1×10^9	-	5×10^8	-	<p>1. In the directions for use of the additive and premixture, the storage conditions and stability to heat treatment shall be indicated.</p> <p>2. The additive may be used via water for drinking.</p> <p>3. The additive may be used simultaneously with the following coccidiostats, in accordance with their respective conditions of authorisation as feed additives: halofuginone, diclazuril, monensin sodium, robenidine hydrochloride, salinomycin sodium, a combination of monensin sodium with nicarbazin.</p> <p>4. For users of the additive and premixtures, feed business operators shall establish operational</p>	[10 years from the date of entry into force of this Regulation. To be completed by the Service responsible for the publication]

⁽¹⁾ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en

			premixtures, compound feed and water: Spread plate method on MRS agar (based on EN 15787 method).							procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing and skin protective equipment.
--	--	--	---	--	--	--	--	--	--	---

Part II

Identification number of the feed additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						CFU/l of water for drinking			
Category: zootechnical additives. Functional group: gut flora stabilisers									
4b1900	Biochem Zusatzstoffe Handels- und Produktionsges. mbH	<i>Weizmannia faecalis</i> DSM 32016	<p>Additive composition Preparation of <i>Weizmannia faecalis</i> DSM 32016 containing a minimum of 2×10^{10} CFU/g additive Solid form</p> <p>Characterisation of the active substance Viable spores of <i>Weizmannia faecalis</i> DSM 32016</p> <p>Analytical method (1) Identification: DNA sequencing methods or Pulsed Field Gel</p>	<p>All poultry species for fattening</p> <p>Suckling and weaned <i>Suidae</i> piglets</p> <p>Ornamental birds</p>	-	5×10^8	-	<p>1. In the directions for use of the additive and premixture, the storage conditions and stability to heat treatment shall be indicated.</p> <p>2. The additive may be used via water for drinking.</p> <p>3. The additive may be used simultaneously with the following coccidiostats, in accordance with their respective conditions of authorisation as feed additives: halofuginone, diclazuril, monensin sodium, robenidine hydrochloride, salinomycin sodium, a combination of monensin sodium with nicarbazin.</p>	[10 years from the date of entry into force of this Regulation. To be completed by the Service responsible for the publication]

			<p>Electrophoresis (PFGE) - CEN/TS 17697.</p> <p>Enumeration in the feed additive, premixtures, compound feed and water: Spread plate method on MRS agar (based on EN 15787 method).</p>					<p>4. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing and skin protective equipment.</p>	
--	--	--	--	--	--	--	--	--	--