ANNEX

This draft has not been adopted or endorsed by the European Commission. Any views expressed are the preliminary views of the Commission services and may not in any circumstances be regarded as stating an official position of the Commission. The information transmitted is intended only for the Member State or entity to which it is addressed for discussions and may contain confidential and/or privileged material.

Identi- fication number of the feed	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maxi mum age	Minimum content	Maximum content		End of period of
					mg of the additive /kg of complete feedingstuff with		Other provisions	authorisa- tion
additive					a moisture	content of 12%		
Category: nutritional additives. Functional group: vitamins, pro-vitamins and chemically well-defined substances having similar effect								

Identi- fication number of the feed	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maxi mum age	complete fe	Maximum content additive /kg of edingstuff with		Other provisions	End of period of authorisa- tion	
additive						content of 12%				
Category	Category: nutritional additives. Functional group: vitamins, pro-vitamins and chemically well-defined substances having similar effect									
3a827	'Riboflavin' or 'Vitamin B ₂ "	Additive composition Riboflavin produced from <i>Eremothecium ashbyi</i> CCTCCM 2019833 in the form of a dried inactivated fermentation product containing a minimum of 5% riboflavin. Moisture $\leq 7\%$ Solid form Characterisation of active substance Riboflavin produced from <i>Eremothecium ashbyi</i> CCTCCM 2019833 Chemical formula: $C_{17}H_{20}N_4O_6$ CAS number: $83-88-5$	All animal species	-	-		2.	The directions for use of the additive and premixture shall indicate the storage conditions, the stability to heat treatment. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with	[10 years from the date of entry into force of this Regulation. To be completed by the OP]	

¹ Details of the analytical methods are available at the following address of the Reference Laboratory:https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en

Identi- fication number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maxi mum age	complete fe a moisture	Maximum content additive /kg of edingstuff with content of 12%	Other provisions	End of period of authorisa- tion
Category	: nutritional additiv	ves. Functional group: vitamins, pro-vitamins	and chemica	lly well-	defined subst	ances having sim		
		For the determination of riboflavin in the feed additive: - High Performance Liquid Chromatography with Fluorescence detection (HPLCFLD); or					appropriate personal protective equipment, including breathing protection.	
		High Performance Liquid Chromatography with UV detection (HPLC-UV) - VDLUFA Bd. III, 13.9.1						
		For the determination of riboflavin in premixtures:						
		- High Performance Liquid Chromatography with UV detection (HPLC-UV) - VDLUFA Bd. III, 13.9.1						
		For the determination of riboflavin (as total vitamin B2) in compound feed: – High Performance Liquid Chromatography with Fluorescence detection (HPLCFLD) - EN 14152						