


1 PICO 5: Børn og unge med moderat til svær OCD tilbydes kognitiv adfærdsterapi eller en kombinationsbehandling bestående af kognitiv adfærdsterapi og et SSRI-


1.1 CYBOCS symptomscore End of Treatment



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment
- (C) Blinding of participants and personnel
- (D) Blinding of outcome assessors
- (E) Incomplete outcome data
- (F) Selective outcome reporting
- (G) Other sources of bias


1.2 Social funktionsevne: Længste Follow-up



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment
- (C) Blinding of participants and personnel
- (D) Blinding of outcome assessors
- (E) Incomplete outcome data
- (F) Selective outcome reporting
- (G) Other sources of bias


1.3 Livskvalitet: Længste Follow-up



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment
- (C) Blinding of participants and personnel
- (D) Blinding of outcome assessors
- (E) Incomplete outcome data
- (F) Selective outcome reporting
- (G) Other sources of bias


1.4 Angst : Efter endt Behandling



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment
- (C) Blinding of participants and personnel
- (D) Blinding of outcome assessors
- (E) Incomplete outcome data
- (F) Selective outcome reporting
- (G) Other sources of bias


1.5 Remission Symptomscore (End of Treatment)



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment
- (C) Blinding of participants and personnel
- (D) Blinding of outcome assessors
- (E) Incomplete outcome data
- (F) Selective outcome reporting
- (G) Other sources of bias


1.6 >30% reduktion i CYBOCS follow up



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment
- (C) Blinding of participants and personnel
- (D) Blinding of outcome assessors
- (E) Incomplete outcome data
- (F) Selective outcome reporting
- (G) Other sources of bias


1.7 Drop-out: End of treatment



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment
- (C) Blinding of participants and personnel
- (D) Blinding of outcome assessors
- (E) Incomplete outcome data
- (F) Selective outcome reporting
- (G) Other sources of bias


1.8 Selvmordstanker/Selvmoedsadfærd



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment
- (C) Blinding of participants and personnel
- (D) Blinding of outcome assessors
- (E) Incomplete outcome data
- (F) Selective outcome reporting
- (G) Other sources of bias


1.9 Frafald på grund af bivirkninger



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment
- (C) Blinding of participants and personnel
- (D) Blinding of outcome assessors
- (E) Incomplete outcome data
- (F) Selective outcome reporting
- (G) Other sources of bias

1.10 Alvorlige bivirkninger (SAE)



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment
- (C) Blinding of participants and personnel
- (D) Blinding of outcome assessors
- (E) Incomplete outcome data
- (F) Selective outcome reporting
- (G) Other sources of bias