This draft has not been adopted or endorsed by the European Commission. Any views expressed are the preliminary views of the Commission services and may not in any circumstances be regarded as stating an official position of the Commission. The information transmitted is intended only for the Member State or entity to which it is addressed for discussions and may contain confidential and/or privileged material.

EN

ANNEX

Identi- fication number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	complete fe	Maximum content ditive/kg of edingstuff with content of 12%		Other provisions	End of period of authorisa- tion
Category: Ser	Category: Sensory additives. Functional group: Flavouring compounds								
2b91722-eo	Cedarwood Texas essential oil	Additive composition Essential oil from the wood of Juniperus deppeana Steud. (synonym: Juniperus mexicana Schiede) Liquid form Characterisation of active substance	All animal species		-	-	2.	The additive shall be incorporated into the feed in the form of a premixture. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated.	[to be completed by the OP: insert precise date 10 years from the date of entry into force of this
		Cedarwood Texas essential oil					3.	On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of	Regulation]

Essential oil as defin Europe ¹ obtained fro				aplete feedingstuff with a sture content of 12 %:	
Juniperus deppeana				ng for turkeys for	
distillation and further				tening;	
volatile constituents	-			ng for chickens for	
the aqueous phase by	decantation.			tening, other poultry for	
				tening or reared for	
CAS number: 91722	-61-1			ving or breeding;	
EINECS number: 29	4-461-7			ng for ornamental birds;	
				ng for all poultry for	
				ving or breeding; mg for pigs for	
<u>Specifications</u>				tening;	
- cis-Thujopsene: 25-	-35%			mg for piglets	
- (+)-Cedrol: ≥ 20 %				ickling and weaned) of	
- α-Cedrene: 15-25 %	6			Suidae:	
- β-Cedrene: 3-8 %				mg for pigs for	
				tening of minor Suidae;	
Analytical method(²			- 14	mg for all Suidae for	
			-	production;	
For the determination				mg for calves for	
(phytochemical mark	ter) in the feed			tening up to 6 months;	
additive:				mg for sheep and goats;	
- gas chromatogra	phy coupled with			mg for cattle for	
	detection (GC-FID)			tening, other ruminants	
(ISO 4725)	detection (de l'ib)			fattening except sheep	
(130 4723)				d goats, and Camelidae	
				fattening;	
				mg for all other	
				minants, and all other amelidae;	
		,		mg for Equidae;	
				5 mg for rabbits;	
			- 0	ing for faccits,	

Natural sources of flavourings – Report No 2 (2007)

Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-faevaluation-reports_en

	- 15 mg for Salmonids and minor fin fish; - 15 mg for dogs; - 4 mg for cats; - 15 mg for other species and categories." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal skin, eye and breathing protective equipment.
--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------