

EN
ANNEX

Identification number of the feed additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						CFU/kg of complete feedingstuff with a moisture content of 12%			
Category: zootechnical additives. Functional group: physiological condition stabilisers (improve stress resilience in dogs) ¹									
4e001	Nestlé Enterprises S.A. Division Nestlé Purina Petcare Europe represented in the EU by Centres de Recherche et Développement Nestlé S.A.S	<i>Bifidobacterium longum</i> CNCM I-5642	Additive composition Preparation of <i>Bifidobacterium longum</i> CNCM I-5642 containing a minimum of 5×10^{10} CFU/g Solid form. Characterisation of the active substance Viable cells of <i>Bifidobacterium longum</i> CNCM I-5642 Analytical method ² Identification: DNA sequencing methods or Pulsed Field Gel Electrophoresis (PFGE) (CEN/TS 17697)	Dogs	-	$3,5 \times 10^9$	-	1. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 2. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal skin, eye and breathing protective equipment. 3. On the label of the additive, premixtures and compound feed the following shall be indicated: ‘It is	[10 years from the date of entry into force of this Regulation. To be completed by the Service responsible for the publication]

¹ Benefit to dogs is improvement in stress (physiological and/or behavioural) resilience when exposed to stress factors representing realistic situations of the animals' lives

² Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

			Enumeration in the feed additive and compound feed: Pour plate method using a reinforced clostridial agar medium					recommended to use for at least 6 weeks’.	
--	--	--	---------------------------------------------------------------------------------------------------------------------------	--	--	--	--	----------------------------------------------	--