ANNEX

Identi- fication number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content		End of period of
					CFU/kg of fresh material		Other provisions	authorisa- tion
Category	: technological additiv	es. Functional group: silage additives						•
1k21013	Pediococcus acidilactici NCIMB 30005	Additive composition Preparation of Pediococcus acidilactici NCIMB 30005 containing a minimum of 2,5 × 10 ¹⁰ CFU/g additive Solid form Characterisation of the active substance Viable cells of Pediococcus acidilactici NCIMB 30005 Analytical method¹ Identification of Pediococcus acidilactici NCIMB 30005: DNA sequencing methods or Pulsed Field Gel Electrophoresis (PFGE) (CEN/TS 17697) Enumeration of Pediococcus acidilactici NCIMB 30005:	All animal species	-		-	 In the directions for use of the additive and premixtures, the storage conditions shall be indicated. Minimum dose of the additive when it is not used in combination with other microorganisms as silage additives: 5x10⁷ CFU/kg fresh plant material. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal skin 	[10 years from the date of entry into force of this Regulation. To be completed by the OP]

Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports en.

Identi- fication number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content		End of period of authorisation
					CFU/kg of	fresh material	Other provisions	
Category	: technological additiv	ves. Functional group: silage additives						
		- Spread plate method on MRS agar (EN 15786)					and breathing protective equipment.	
1k20748	Lacticaseibacillus paracasei NCIMB 30151	Additive composition Preparation of Lacticaseibacillus paracasei NCIMB 30151 containing a minimum of 2,5 × 10 ¹⁰ CFU/g additive Solid form Characterisation of the active substance Viable cells of Lacticaseibacillus paracasei NCIMB 30151 Analytical method ² Identification of Lacticaseibacillus paracasei NCIMB 30151: - DNA sequencing methods or Pulsed Field Gel Electrophoresis (PFGE) (CEN/TS 17697) Enumeration of Lacticaseibacillus paracasei NCIMB 30151: - Spread plate (or pour plate) method on MRS agar (EN 15787)	All animal species	-			 In the directions for use of the additive and premixtures, the storage conditions shall be indicated. Minimum dose of the additive when it is not used in combination with other microorganisms as silage additives: 5x10⁷ CFU/kg fresh plant material. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal skin, eye and breathing protective equipment. 	[10 years from the date of entry into force of this Regulation. To be completed by the OP]

Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identi- fication number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content		End of period of
					CFU/kg of fresh material		Other provisions	authorisa- tion
Category	: technological additiv	ves. Functional group: silage additives						
1k20749	Lactiplantibacillus plantarum DSM 16627	Additive composition Preparation of Lactiplantibacillus plantarum DSM 16627 containing a minimum of 2,5 × 10 ¹⁰ CFU/g additive Solid form Characterisation of the active substance Viable cells of Lactiplantibacillus plantarum DSM 16627 Analytical method³ Identification of Lactiplantibacillus plantarum DSM 16627: - DNA sequencing methods or Pulsed Field Gel Electrophoresis (PFGE) (CEN/TS 17697) Enumeration of Lactiplantibacillus plantarum DSM 16627: - Spread plate (or pour plate) method on MRS agar (EN 15787)	All animal species		-		 In the directions for use of the additive and premixtures, the storage conditions shall be indicated. Minimum dose of the additive when it is not used in combination with other microorganisms as silage additives: 5 x 10⁷ CFU/kg fresh plant material. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal skin, eye and breathing protective equipment. 	[10 years from the date of entry into force of this Regulation. To be completed by the OP]

Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports en.