

Søgeprotokol for Nationale Kliniske Retningslinjer

Projekttitel/aspekt	NKR 29 for Diagnostik og Nonfarmakologisk Behandling af Unipolar Depression (sekundærlitteratur)
Kontakt Fagkonsulent /projektleder	Nicolai Ladegaard / Malene Kristine Nielsen
Kontakt Søgespecialist	Karen Tølbøl Sigaard
Senest opdateret	12.08.2015

Baggrund	<p>PICO-spørgsmål:</p> <ol style="list-style-type: none">1. Bør personer tidligere diagnosticeret med depression tilbydes tidlig opsporing for recidiv?2. Bør patienter diagnosticeret med depression af let til moderat grad tilbydes fysisk træning som add-on til vanlig behandling?3. Bør patienter med depression af moderat til svær grad behandles med psykoterapeutisk samtalebehandling som add-on til farmakologisk behandling?4. Bør patienter med depression af moderat til svær grad tilbydes korttids psykodynamisk psykoterapi eller kognitiv adfærdsterapi (KAT)?5. Bør patienter med depression af moderat til svær grad tilbydes interpersonel psykoterapi (IPT) eller kognitiv adfærdsterapi (KAT)?6. Bør patienter med langvarig eller kronisk og/eller behandlingsrefraktær depression af moderat til svær grad overgå til psykoterapeutisk monobehandling?7. Bør patienter med depression af moderat til svær grad, som er remitteret, tilbydes mindfulness-træning som add-on til farmakologisk behandling for at forebygge tilbagefalde?8. Bør patienter med depression af let til moderat grad tilbydes samtalerapi i almen praksis?9. Bør patienter med depression tilbydes en familie/ par-terapi/ netværksintervention som add-on til vanlig behandling?10. Bør patienter med depression tilbydes collaborative care frem for vanlig behandling
Søgetermer	Se søgestrategierne under de enkelte PICO's
Inklusions- og eksklusionskriterier	Sprog: Engelsk, dansk, norsk og svensk År: de sidste 10 år (2005 -2015), eller fra nyeste, relevante guideline (se under de enkelte PICO's) Publikationstyper: systematiske reviews, metaanalyser

Informationskilder

Database	Interface	Dato for søgning
The Cochrane library	Internettet	23/6-12/8 2015
Medline	OVID	23/6-12/8 2015
EMBASE	OVID	23/6-12/8 2015
CINAHL	EBSCO	23/6-12/8 2015
PSYCINFO	OVID	23/6-12/8 2015

Note

- Søgtermer og inklusions- og eksklusionskriterier er tilpasset de enkelte databaser.
- Dubletter er så vidt muligt frasorteret ved hjælp af RefWorks. De fundne referencer overføres til Covidence (referenceværktøj)
- Fuldtekster præsenteres i Covidence i pdf-format
- Søgestrategi for hver enkelt database præsenteres herunder – hvis muligt vises det eksplisit hvor mange referencer den enkelte søgestreng genererer
- Søgningen til PICO 1 blev gentaget i en revideret form. De to søgestrategier præsenteres begge i det følgende

Søgestrategi

Indhold

PICO 1	3
PICO 1 uden recurrent	9
PICO 2	13
PICO 3	17
PICO 4	27
PICO 5	32
PICO 6	39
PICO 7	48
PICO 8	52
PICO 9	58
PICO 10	65

PICO 1

Søgt d. 23.06.2015

Database(s): Ovid MEDLINE(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)

1946 to Present

Search Strategy:

#	Searches	Results
1	Depression/	82056
2	exp Depressive Disorder/	84754
3	depress*.mp.	413399
4	1 or 2 or 3	413962
5	Recurrence/	151640
6	relaps*.mp.	132055
7	recurrence.mp.	364785
8	"history of depression".mp.	1993
9	previous depression*.mp.	108
10	periodic depression*.mp.	21
11	recurrent depression*.mp.	831
12	remission.mp.	118457
13	or/5-12	542488
14	screening.mp.	414207
15	early detection.mp.	50330
16	exp early diagnosis/	25069
17	Secondary Prevention/	15692
18	secondary prevention.mp.	27121
19	case identification.mp.	730
20	or/14-19	485113
21	4 and 13 and 20	1301
22	limit 21 to (yr="2005 - 2015" and (danish or english or norwegian or swedish))	907
23	systematic review*.mp.	66921
24	meta-analysis/	56809
25	meta analys*.mp.	99573
26	metaanalys*.mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	1642
27	exp meta-analysis as topic/	14328
28	or/23-27	140441
29	(comment or letter or newspaper article).pt.	1175087
30	28 not 29	134335
31	22 and 30	56
32	limit 22 to (meta analysis or systematic reviews)	79

33	31 or 32	87
----	----------	----

Database(s): **Embase** 1974 to 2015 June 22

Search Strategy:

Søgt d. 23.06.2015

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involutional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	313831
2	depress*.ti,ab,kw.	444569
3	1 or 2	544509
4	"systematic review"/	91051
5	systematic review*.mp.	129503
6	meta analysis/	95022
7	meta analys*.mp.	146367
8	metaanalys*.mp.	5542
9	"meta analysis (topic)"/	20431
10	"systematic review (topic)"/	11439
11	or/4-10	218908
12	(comment or letter or newspaper article).pt.	895058
13	11 not 12	212631
14	recurrent disease/	136447
15	recurrence.mp.	359547
16	relapse/	74991
17	relaps*.mp.	215225
18	"history of depression".mp.	2786
19	previous depression*.mp.	143
20	periodic depression*.mp.	31
21	recurrent depression*.mp.	1115
22	remission.mp.	162714
23	remission/	92080
24	or/14-23	731750
25	exp screening/	506273
26	screening.mp.	727039
27	early detection.mp.	57770
28	early diagnosis/	76582
29	secondary prevention/	18838

30	secondary prevention.mp.	28785
31	case identification.mp.	938
32	or/25-31	851578
33	3 and 24 and 32	1419
34	13 and 33	63
35	limit 33 to (meta analysis or "systematic review")	44
36	34 or 35	63
37	limit 36 to ((danish or english or norwegian or swedish) and yr="2005 - 2015")	53

Database(s): **PsycINFO** 1806 to June Week 3 2015

Search Strategy:

Søgt d. 23.06.2015

#	Searches	Results
1	exp major depression/	100072
2	"depression (emotion)"/	22311
3	depress*.mp.	266250
4	or/1-3	266477
5	"relapse (disorders)"/	5580
6	recurrence.mp.	6356
7	"history of depression".mp.	1819
8	previous depression*.mp.	99
9	periodic depression*.mp.	30
10	recurrent depression*.mp.	1302
11	exp Recurrent Depression/	676
12	exp "remission (disorders)"/	2803
13	remission.mp.	11299
14	or/5-13	24028
15	exp Screening/	18278
16	screening.mp.	57219
17	early detection.mp.	4155
18	secondary prevention.mp.	1865
19	case identification.mp.	347
20	or/15-19	65294
21	4 and 14 and 20	394
22	limit 21 to ("0830 systematic review" or 1200 meta analysis)	5
23	(meta analys* or metaanalys* or systematic review*).mp.	30192
24	exp Meta Analysis/	3680
25	23 or 24	30192
26	21 and 25	9

27	22 or 26	12
28	limit 27 to ((danish or english or norwegian or swedish) and yr="2005 - 2015")	12

CINAHL

Søgt d. 23.06.2015

#	Query	Limiters/Expanders	Results
S28	S21 OR S27	Limiters - Published Date: 20050101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	13
S27	S22 AND S26	Search modes - Boolean/Phrase	12
S26	S23 OR S24 OR S25	Search modes - Boolean/Phrase	49,028
S25	"meta analys*" OR "metaanalys*" OR "systematic review"	Search modes - Boolean/Phrase	49,028
S24	(MH "Meta Analysis")	Search modes - Boolean/Phrase	16,112
S23	(MH "Systematic Review")	Search modes - Boolean/Phrase	22,698
S22	S3 AND S13 AND S20	Search modes - Boolean/Phrase	164
S21	S3 AND S13 AND S20	Limiters - Publication Type: Meta Analysis, Meta Synthesis, Systematic Review Search modes - Boolean/Phrase	8
S20	S14 OR S15 OR S16 OR S17 OR S18 OR S19	Search modes - Boolean/Phrase	81,014
S19	"case identification"	Search modes - Boolean/Phrase	142
S18	"secondary prevention"	Search modes - Boolean/Phrase	2,610
S17	"early detection"	Search modes - Boolean/Phrase	6,269
S16	(MH "Early Diagnosis+")	Search modes - Boolean/Phrase	3,350
S15	screening	Search modes - Boolean/Phrase	66,039
S14	(MH "Health Screening+")	Search modes - Boolean/Phrase	44,548
S13	S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12	Search modes - Boolean/Phrase	41,275
S12	remission	Search modes - Boolean/Phrase	6,203
S11	(MH "Disease Remission")	Search modes - Boolean/Phrase	2,824
S10	"recurrent depression"	Search modes - Boolean/Phrase	86
S9	"periodic depression"	Search modes - Boolean/Phrase	1
S8	"previous depression"	Search modes - Boolean/Phrase	25
S7	"history of depression"	Search modes - Boolean/Phrase	399
S6	relaps*	Search modes - Boolean/Phrase	9,203
S5	recurrence	Search modes - Boolean/Phrase	30,521

S4	(MH "Recurrence")	Search modes - Boolean/Phrase	18,273
S3	(S1 OR S2)	Search modes - Boolean/Phrase	72,470
S2	depress*	Search modes - Boolean/Phrase	72,435
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,058

Cochrane Library

Search Name: nkr29 unipolar depression P1 sekundær

Date Run: 23/06/15

Description:

ID	Search	Hits
#1	MeSH descriptor: [Depression] explode all trees	5621
#2	MeSH descriptor: [Depressive Disorder] explode all trees	7716
#3	depress*:ti,ab,kw (Word variations have been searched)	42046
#4	#1 or #2 or #3	42079
#5	MeSH descriptor: [Recurrence] explode all trees	12343
#6	relaps*:ti,ab,kw (Word variations have been searched)	16552
#7	recurrence:ti,ab,kw (Word variations have been searched)	26554
#8	"history of depression":ti,ab,kw (Word variations have been searched)	159
#9	"previous depression*":ti,ab,kw (Word variations have been searched)	3
#10	"periodic depressions*":ti,ab,kw (Word variations have been searched)	0
#11	"recurrent depression*":ti,ab,kw (Word variations have been searched)	198
#12	remission:ti,ab,kw (Word variations have been searched)	12493
#13	#5 or #6 or #7 or #8 or #9 or #10 or #11 or #12	46826
#14	screening:ti,ab,kw (Word variations have been searched)	23287
#15	"early detection":ti,ab,kw (Word variations have been searched)	1618
#16	MeSH descriptor: [Secondary Prevention] explode all trees	437
#17	"secondary prevention":ti,ab,kw (Word variations have been searched)	2121
#18	"case identification":ti,ab,kw (Word variations have been searched)	20

#19	MeSH descriptor: [Early Diagnosis] explode all trees	1071
#20	#14 or #15 or #16 or #17 or #18 or #19	26387
#21	#4 and #13 and #20 Publication Year from 2005 to 2015, in Cochrane Reviews (Reviews and Protocols) and Other Reviews	7

I alt 172 referencer, heraf 131 unikke.

PICO 1 uden recurrent

Database(s): Ovid **MEDLINE(R)** In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R) 1946 to Present

Søgt d. 12.08.2015

Search Strategy:

#	Searches	Results
1	Depression/	83972
2	exp Depressive Disorder/	85917
3	depress*.mp.	419851
4	1 or 2 or 3	420422
5	screening.mp.	422777
6	early detection.mp.	51751
7	exp early diagnosis/	26110
8	Secondary Prevention/	15977
9	secondary prevention.mp.	27636
10	case identification.mp.	743
11	or/5-10	495220
12	systematic review*.mp.	70000
13	meta-analysis/	58895
14	meta analys*.mp.	103530
15	metaanalys*.mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	1672
16	exp meta-analysis as topic/	14779
17	or/12-16	146067
18	(comment or letter or newspaper article).pt.	1245095
19	17 not 18	139575
20	4 and 11	14897
21	limit 20 to (meta analysis or systematic reviews)	710
22	19 and 20	388
23	21 or 22	756
24	limit 23 to (yr="2005 - 2015" and (danish or english or norwegian or swedish))	617

Database(s): **Embase** 1974 to 2015 August 11

Søgt d. 12.08.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involutional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or	317533

	premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	
2	depress*.ti,ab,kw.	450099
3	1 or 2	551055
4	"systematic review"/	93373
5	systematic review*.mp.	133205
6	meta analysis/	97276
7	meta analys*.mp.	150308
8	metaanalys*.mp.	5703
9	"meta analysis (topic)"/	21466
10	"systematic review (topic)"/	12063
11	or/4-10	224708
12	(comment or letter or newspaper article).pt.	902470
13	11 not 12	218261
14	exp screening/	513822
15	screening.mp.	737719
16	early detection.mp.	58692
17	early diagnosis/	77836
18	secondary prevention/	19186
19	secondary prevention.mp.	29225
20	case identification.mp.	957
21	or/14-20	864292
22	3 and 21	26301
23	limit 22 to (meta analysis or "systematic review")	562
24	13 and 22	816
25	23 or 24	816
26	limit 25 to ((danish or english or norwegian or swedish) and yr="2005 - 2015")	695

Database(s): **PsycINFO** 1806 to August Week 1 2015

Søgt d. 12.08.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	101403
2	"depression (emotion)"/	22413
3	depress*.mp.	269428
4	or/1-3	269655
5	exp Screening/	18491
6	screening.mp.	57950
7	early detection.mp.	4212
8	secondary prevention.mp.	1881

9	case identification.mp.	350
10	or/5-9	66101
11	(meta analys* or metaanalys* or systematic review*).mp.	30871
12	exp Meta Analysis/	3705
13	11 or 12	30871
14	4 and 10	11535
15	limit 14 to ("0830 systematic review" or 1200 meta analysis)	214
16	13 and 14	255
17	15 or 16	294
18	limit 17 to ((danish or english or norwegian or swedish) and yr="2005 - 2015")	266

CINAHL

Søgt d. 12.08.2015

#	Query	Limiters/Expanders	Results
S17	S15 OR S16	Limiters - Published Date: 20050101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	142
S16	S3 AND S10 AND S14	Search modes - Boolean/Phrase	127
S15	S3 AND S10	Limiters - Publication Type: Meta Analysis, Meta Synthesis, Systematic Review Search modes - Boolean/Phrase	118
S14	S11 OR S12 OR S13	Search modes - Boolean/Phrase	49,811
S13	"meta analys*" OR "metaanalys*" OR "systematic review**"	Search modes - Boolean/Phrase	49,811
S12	(MH "Meta Analysis")	Search modes - Boolean/Phrase	16,300
S11	(MH "Systematic Review")	Search modes - Boolean/Phrase	23,192
S10	S4 OR S5 OR S6 OR S7 OR S8 OR S9	Search modes - Boolean/Phrase	81,680
S9	"case identification"	Search modes - Boolean/Phrase	144
S8	"secondary prevention"	Search modes - Boolean/Phrase	2,628
S7	"early detection"	Search modes - Boolean/Phrase	6,350
S6	(MH "Early Diagnosis+")	Search modes - Boolean/Phrase	3,454
S5	screening	Search modes - Boolean/Phrase	66,579
S4	(MH "Health Screening+")	Search modes - Boolean/Phrase	44,879
S3	(S1 OR S2)	Search modes - Boolean/Phrase	73,004
S2	depress*	Search modes - Boolean/Phrase	72,969
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,342

Cochrane Library

Search Name: nkr29 unipolar depression P1 sekundær - uden recurrent

Date Run: 12/08/15

Description:

ID	Search	Hits
#1	MeSH descriptor: [Depression] explode all trees	5644
#2	MeSH descriptor: [Depressive Disorder] explode all trees	7737
#3	depress*:ti,ab,kw (Word variations have been searched)	42983
#4	#1 or #2 or #3	43016
#5	screening:ti,ab,kw (Word variations have been searched)	23928
#6	"early detection":ti,ab,kw (Word variations have been searched)	1653
#7	MeSH descriptor: [Secondary Prevention] explode all trees	487
#8	"secondary prevention":ti,ab,kw (Word variations have been searched)	2213
#9	"case identification":ti,ab,kw (Word variations have been searched)	20
#10	MeSH descriptor: [Early Diagnosis] explode all trees	1093
#11	#5 or #6 or #7 or #8 or #9 or #10	27132
#12	#4 and #11 Publication Year from 2005 to 2015, in Cochrane Reviews (Reviews and Protocols) and Other Reviews	53

I alt 1773 referencer, heraf 1198 unikke.

PICO 2

Database(s): Ovid **MEDLINE(R)** In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)
 1946 to Present
 Søgt d. 01.07.2015

Search Strategy:

#	Searches	Results
1	Depression/	82151
2	exp Depressive Disorder/	84829
3	depress*.mp.	413741
4	1 or 2 or 3	414305
5	exp Exercise/	127273
6	exercise*.mp.	270673
7	Physical Fitness/	22707
8	physical fitness.mp.	25222
9	exp Exercise Therapy/	32633
10	kinesiotherap*.mp.	125
11	exercising.mp.	8087
12	systematic review*.mp.	67242
13	meta-analysis/	56984
14	meta analys*.mp.	99926
15	metaanalys*.mp.	1645
16	exp meta-analysis as topic/	14337
17	or/12-16	140950
18	(comment or letter or newspaper article).pt.	1176502
19	17 not 18	134818
20	or/5-11	319966
21	4 and 20	14585
22	limit 21 to (meta analysis or systematic reviews)	483
23	19 and 21	344
24	22 or 23	521
25	limit 24 to (yr="2009 - 2015" and (danish or english or norwegian or swedish))	326

Database(s): **Embase** 1974 to 2015 June 30

Søgt d. 01.07.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involutional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed	314460

	anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	
2	depress*.ti,ab,kw.	445485
3	1 or 2	545613
4	exp exercise/	234464
5	exercise*.ti,ab,kw.	279531
6	fitness/	30878
7	physical fitness.ti,ab,kw.	8780
8	exp kinesiotherapy/	53352
9	kinesiotherap*.ti,ab,kw.	326
10	exercising.ti,ab,kw.	9914
11	"systematic review"/	91482
12	systematic review*.mp.	130179
13	meta analysis/	95422
14	meta analys*.mp.	147085
15	metaanalys*.mp.	5577
16	"meta analysis (topic)"/	20640
17	"systematic review (topic)"/	11549
18	or/11-17	219953
19	(comment or letter or newspaper article).pt.	896477
20	18 not 19	213649
21	or/4-10	399766
22	3 and 21	19069
23	limit 22 to (meta analysis or "systematic review")	627
24	20 and 22	885
25	23 or 24	888
26	limit 25 to ((danish or english or norwegian or swedish) and yr="2009 - 2015")	602

Database(s): **PsycINFO** 1806 to June Week 4 2015

Søgt d. 02.07.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	100305
2	"depression (emotion)"/	22329
3	depress*.mp.	266794
4	or/1-3	267021
5	(meta analys* or metaanalys* or systematic review*).mp.	30290
6	exp Meta Analysis/	3685

7	5 or 6	30290
8	exp exercise/	18870
9	exercise*.mp.	53900
10	physical fitness/	3380
11	physical fitness.mp.	4376
12	kinesiotherap*.mp.	16
13	exercising.mp.	2831
14	or/8-13	58907
15	4 and 14	4821
16	limit 15 to ("0830 systematic review" or 1200 meta analysis)	154
17	7 and 15	174
18	16 or 17	199
19	limit 18 to ((danish or english or norwegian or swedish) and yr="2009 - 2015")	140

CINAHL

Søgt d. 02.07.2015

#	Query	Limiters/Expanders	Results
S18	S16 OR S17	Limiters - Published Date: 20090101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	125
S17	S3 AND S7 AND S15	Search modes - Boolean/Phrase	170
S16	S3 AND S15	Limiters - Publication Type: Meta Analysis, Meta Synthesis, Systematic Review Search modes - Boolean/Phrase	137
S15	S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14	Search modes - Boolean/Phrase	107,326
S14	exercising	Search modes - Boolean/Phrase	1,850
S13	kinesiotherap*	Search modes - Boolean/Phrase	49
S12	(MH "Therapeutic Exercise+")	Search modes - Boolean/Phrase	28,142
S11	"physical fitness"	Search modes - Boolean/Phrase	8,985
S10	(MH "Physical Fitness+")	Search modes - Boolean/Phrase	8,448
S9	exercise*	Search modes - Boolean/Phrase	89,764
S8	(MH "Exercise+")	Search modes - Boolean/Phrase	54,591
S7	S4 OR S5 OR S6	Search modes - Boolean/Phrase	49,303
S6	"meta analys*" OR "metaanalys*" OR "systematic review**"	Search modes - Boolean/Phrase	49,303
S5	(MH "Meta Analysis")	Search modes - Boolean/Phrase	16,175
S4	(MH "Systematic Review")	Search modes - Boolean/Phrase	22,865

S3	(S1 OR S2)	Search modes - Boolean/Phrase	72,590
S2	depress*	Search modes - Boolean/Phrase	72,555
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,121

Cochrane Library

Search Name: nkr29 unipolar depression P2 sekundær

Date Run: 02/07/15

Description:

ID	Search	Hits
#1	MeSH descriptor: [Depression] explode all trees	5631
#2	MeSH descriptor: [Depressive Disorder] explode all trees	7724
#3	depress*:ti,ab,kw (Word variations have been searched)	42679
#4	#1 or #2 or #3	42712
#5	MeSH descriptor: [Exercise] explode all trees	14361
#6	exercise*:ti,ab,kw (Word variations have been searched)	45043
#7	MeSH descriptor: [Physical Fitness] explode all trees	2189
#8	"physical fitness":ti,ab,kw (Word variations have been searched)	2765
#9	MeSH descriptor: [Exercise Therapy] explode all trees	7478
#10	kinesiotherap*:ti,ab,kw (Word variations have been searched)	1068
#11	exercising:ti,ab,kw (Word variations have been searched)	45141
#12	{or #5-#11}	47657
#13	#4 and #12 Publication Year from 2009 to 2015, in Cochrane Reviews (Reviews and Protocols) and Other Reviews	84

I alt 1277, heraf 848 unikke.

PICO 3

Database(s): Ovid **MEDLINE(R)** In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)

1946 to Present

Søgt d. 24.06.2015

Search Strategy:

#	Searches	Results
1	Depression/	82056
2	exp Depressive Disorder/	84754
3	depress*.mp.	413458
4	1 or 2 or 3	414021
5	exp Behavior Therapy/	55365
6	exp Cognitive Therapy/	17700
7	(cognitive adj2 therap*).mp.	22183
8	behavioral activation.mp.	942
9	behavioural activation.mp.	218
10	(behavio* adj2 therap*).mp.	36572
11	(functional adj2 therap*).mp.	1865
12	cbt.mp.	5979
13	interpersonal psychotherapy.mp.	647
14	exp Interpersonal Relations/	268694
15	exp Psychotherapy/	155236
16	14 and 15	21335
17	interpersonal therapy.mp.	242
18	ipt.mp.	1549
19	Psychotherapy, Psychodynamic/	143
20	(psychodynamic adj2 therapy).mp.	412
21	(psychodynamic adj2 psychotherapy).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	892
22	exp Psychoanalytic Therapy/	14777
23	psychoanalysis.mp.	11361
24	Psychoanalysis/	8275
25	psychoanalytic.mp.	28508
26	or/5-13,16-25	114783
27	4 and 26	13503
28	systematic review*.mp.	66958
29	meta-analysis/	56809
30	meta analys*.mp.	99617

31	metaanalys*.mp.	1642
32	exp meta-analysis as topic/	14328
33	or/28-32	140506
34	(comment or letter or newspaper article).pt.	1175392
35	33 not 34	134398
36	27 and 35	650
37	exp Antidepressive Agents/	123888
38	exp Combined Modality Therapy/	214756
39	exp Drug Therapy/	1091825
40	"add on".mp.	5328
41	antidepressant*.mp.	49305
42	("serotonin-norepinephrine reuptake inhibitor*" or snri*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	1257
43	exp Serotonin Uptake Inhibitors/	32386
44	("selective serotonin reuptake inhibitor*" or SSRI*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	11860
45	Citalopram/	3939
46	citalopram.mp.	5573
47	escitalopram.mp.	1589
48	fluoxetine.mp. or exp Fluoxetine/	11640
49	mirtazapine.mp.	1679
50	paroxetine.mp. or exp Paroxetine/	5507
51	sertraline.mp. or exp Sertraline/	3991
52	venlafaxine.mp.	3373
53	pharmacologic*.mp.	224761
54	pharmacotherapy.mp.	20876
55	("noradrenergic and specific serotonin antidepressant*" or nassa*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	505
56	("norepinephrine reuptake inhibitor*" or "noradrenaline reuptake inhibitor*" or nri*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	3267
57	("norepinephrine dopamine reuptake inhibitor*" or ndri*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	62
58	("selective serotonin reuptake enhancer*" or ssre*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol	48

	[supplementary concept word, rare disease supplementary concept word, unique identifier]	
59	("monoamine oxidase inhibitor*" or maoi*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol [supplementary concept word, rare disease supplementary concept word, unique identifier]	11148
60	or/37-59	1555873
61	36 and 60	251
62	27 and 60	3858
63	limit 62 to (meta analysis or systematic reviews)	380
64	61 or 63	418
65	limit 64 to (yr="2008 - 2015" and (danish or english or norwegian or swedish))	232

Database(s): **Embase** 1974 to 2015 June 23

Søgt d. 24.06.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involutional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	313951
2	depress*.ti,ab,kw.	444694
3	1 or 2	544674
4	"systematic review"/	91156
5	systematic review*.mp.	129645
6	meta analysis/	95087
7	meta analys*.mp.	146503
8	metaanalys*.mp.	5546
9	"meta analysis (topic)"/	20480
10	"systematic review (topic)"/	11465
11	or/4-10	219117
12	(comment or letter or newspaper article).pt.	895373
13	11 not 12	212836
14	exp behavior therapy/	38608
15	exp cognitive therapy/	37576
16	(cognitive adj2 therap*).mp.	41213
17	behavioral activation.mp.	1193
18	behavioural activation.mp.	271

19	(behavio* adj2 therap*).mp.	53332
20	(functional adj2 therap*).mp.	2554
21	cbt.mp.	9301
22	interpersonal psychotherapy.mp.	870
23	exp human relation/	611516
24	exp psychotherapy/	199922
25	23 and 24	37544
26	interpersonal therapy.mp.	410
27	ipt.mp.	2013
28	psychodynamic psychotherapy/	367
29	(psychodynamic adj2 therapy).mp.	704
30	(psychodynamic adj2 psychotherapy).mp.	1448
31	psychoanalysis/	37448
32	psychoanalysis.mp.	38762
33	psychoanalytic.mp.	20241
34	14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33	147812
35	exp antidepressant agent/	334028
36	exp drug therapy/	1959205
37	"add on".mp.	19553
38	antidepressant*.mp.	126728
39	("serotonin-norepinephrine reuptake inhibitor*" or snri*).mp.	2288
40	("selective serotonin reuptake inhibitor*" or SSRI*).mp.	18246
41	citalopram.mp.	18754
42	escitalopram.mp.	7897
43	fluoxetine.mp.	39768
44	mirtazapine/	9495
45	mirtazapine.mp.	9621
46	paroxetine.mp.	24142
47	sertraline.mp.	21043
48	venlafaxine/	16853
49	venlafaxine.mp.	17096
50	pharmacologic*.mp.	303099
51	pharmacotherapy.mp.	33733
52	("noradrenergic and specific serotonin antidepressant*" or nassa*).mp.	742
53	("norepinephrine reuptake inhibitor*" or "noradrenaline reuptake inhibitor*" or nrl*).mp.	5199
54	("norepinephrine dopamine reuptake inhibitor*" or ndri*).mp.	145
55	("selective serotonin reuptake enhancer*" or ssre*).mp.	70
56	("monoamine oxidase inhibitor*" or maol*).mp.	18522
57	or/35-56	2466562

58	3 and 34 and 57	10671
59	13 and 58	1081
60	limit 58 to (meta analysis or "systematic review")	785
61	59 or 60	1088
62	limit 61 to ((danish or english or norwegian or swedish) and yr="2008 - 2015")	642

Database(s): **PsycINFO** 1806 to June Week 3 2015

Søgt d. 24.06.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	100072
2	"depression (emotion)"/	22311
3	depress*.mp.	266250
4	or/1-3	266477
5	(meta analys* or metaanalys* or systematic review*).mp.	30192
6	exp Meta Analysis/	3680
7	5 or 6	30192
8	exp behavior therapy/	17459
9	exp Cognitive Therapy/	12004
10	(cognitive adj2 therap*).mp.	31040
11	behavioral activation.mp.	1589
12	behavioural activation.mp.	225
13	(behavio* adj2 therap*).mp.	40122
14	(functional adj2 therap*).mp.	474
15	cbt.mp.	8884
16	interpersonal psychotherapy/	1064
17	interpersonal psychotherapy.mp.	1590
18	interpersonal therapy.mp.	542
19	ipt.mp.	860
20	psychodynamic psychotherapy/	2550
21	(psychodynamic adj2 therapy).mp.	1559
22	(psychodynamic adj2 psychotherapy).mp.	3735
23	exp Psychoanalysis/	49325
24	psychoanalysis.mp.	64623
25	psychoanalytic.mp.	66878
26	or/8-25	153938
27	exp antidepressant drugs/	33280
28	exp drug therapy/	118493
29	adjunctive treatment/	684
30	"add on".mp.	1398

31	antidepressant*.mp.	34150
32	("serotonin-norepinephrine reuptake inhibitor*" or snri*).mp.	906
33	exp Serotonin Reuptake Inhibitors/	10910
34	("selective serotonin reuptake inhibitor*" or SSRI*).mp.	7849
35	citalopram.mp.	2284
36	escitalopram.mp.	1060
37	fluoxetine.mp.	5873
38	mirtazapine.mp.	1017
39	paroxetine.mp.	2971
40	sertraline.mp.	2377
41	venlafaxine.mp.	2043
42	pharmacologic*.mp.	35796
43	pharmacotherapy.mp.	10433
44	("noradrenergic and specific serotonin antidepressant*" or nassa*).mp.	193
45	("norepinephrine reuptake inhibitor*" or "noradrenaline reuptake inhibitor*" or nri*).mp.	1442
46	("norepinephrine dopamine reuptake inhibitor*" or ndri*).mp.	29
47	("selective serotonin reuptake enhancer*" or ssre*).mp.	11
48	("monoamine oxidase inhibitor*" or maoi*).mp.	2161
49	or/27-48	167681
50	4 and 26 and 49	3126
51	limit 50 to ("0830 systematic review" or 1200 meta analysis)	114
52	7 and 50	167
53	51 or 52	177
54	limit 53 to ((danish or english or norwegian or swedish) and yr="2008 - 2015")	114

CINAHL

Søgt d. 24.06.2015

#	Query	Limiters/Expanders	Results
S52	S50 OR S51	Limiters - Published Date: 20080101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	66
S51	S3 AND S7 AND S26 AND S49	Search modes - Boolean/Phrase	101
S50	S3 AND S26 AND S49	Limiters - Publication Type: Meta Analysis, Meta Synthesis, Systematic Review Search modes - Boolean/Phrase	76
S49	S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR	Search modes - Boolean/Phrase	126,110

	S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48		
S48	("monoamine oxidase inhibitor*" OR maoi*)	Search modes - Boolean/Phrase	601
S47	("selective serotonin reuptake enhancer*" OR ssre*)	Search modes - Boolean/Phrase	4
S46	("norepinephrine dopamine reuptake inhibitor*" OR ndri*)	Search modes - Boolean/Phrase	5
S45	("norepinephrine reuptake inhibitor*" OR "noradrenaline reuptake inhibitor*" OR nrl*)	Search modes - Boolean/Phrase	286
S44	("noradrenergic and specific serotonin antidepressant*" OR nassa*)	Search modes - Boolean/Phrase	70
S43	pharmacotherapy	Search modes - Boolean/Phrase	3,141
S42	pharmacologic*	Search modes - Boolean/Phrase	15,081
S41	"venlafaxine"	Search modes - Boolean/Phrase	631
S40	"sertraline"	Search modes - Boolean/Phrase	681
S39	"paroxetine"	Search modes - Boolean/Phrase	770
S38	"mirtazapine"	Search modes - Boolean/Phrase	271
S37	"fluoxetine"	Search modes - Boolean/Phrase	1,179
S36	"escitalopram"	Search modes - Boolean/Phrase	227
S35	"Citalopram"	Search modes - Boolean/Phrase	703
S34	("selective serotonin reuptake inhibitor*" OR SSRI*)	Search modes - Boolean/Phrase	1,759
S33	(MH "Serotonin Uptake Inhibitors+")	Search modes - Boolean/Phrase	5,906
S32	("serotonin-norepinephrine reuptake inhibitor*" OR snri*)	Search modes - Boolean/Phrase	177
S31	antidepressant*	Search modes - Boolean/Phrase	5,827
S30	"add on"	Search modes - Boolean/Phrase	6,488
S29	(MH "Drug Therapy+")	Search modes - Boolean/Phrase	80,219
S28	(MH "Combined Modality Therapy+")	Search modes - Boolean/Phrase	18,068
S27	(MH "Antidepressive Agents+")	Search modes - Boolean/Phrase	11,447
S26	S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25	Search modes - Boolean/Phrase	31,362
S25	psychoanalytic	Search modes - Boolean/Phrase	1,162
S24	psychoanalysis	Search modes - Boolean/Phrase	680
S23	(MH "Psychoanalysis")	Search modes - Boolean/Phrase	568
S22	(psychodynamic N2 psychotherapy)	Search modes - Boolean/Phrase	195
S21	(psychodynamic N2 therapy)	Search modes - Boolean/Phrase	110

S20	(MH "Psychotherapy, Psychodynamic")	Search modes - Boolean/Phrase	43
S19	ipt	Search modes - Boolean/Phrase	151
S18	"interpersonal therapy"	Search modes - Boolean/Phrase	69
S17	S15 AND S16	Search modes - Boolean/Phrase	14,182
S16	(MH "Psychotherapy+")	Search modes - Boolean/Phrase	91,806
S15	(MH "Interpersonal Relations+")	Search modes - Boolean/Phrase	150,416
S14	"interpersonal psychotherapy"	Search modes - Boolean/Phrase	156
S13	cbt	Search modes - Boolean/Phrase	1,571
S12	(behavio* N2 therap*)	Search modes - Boolean/Phrase	9,942
S11	"behavioural activation"	Search modes - Boolean/Phrase	32
S10	"behavioral activation"	Search modes - Boolean/Phrase	93
S9	cognitive N2 therap*	Search modes - Boolean/Phrase	9,419
S8	(MH "Behavior Therapy+")	Search modes - Boolean/Phrase	12,911
S7	S4 OR S5 OR S6	Search modes - Boolean/Phrase	49,031
S6	"meta analys*" OR "metaanalys*" OR "systematic review"	Search modes - Boolean/Phrase	49,031
S5	(MH "Meta Analysis")	Search modes - Boolean/Phrase	16,112
S4	(MH "Systematic Review")	Search modes - Boolean/Phrase	22,698
S3	(S1 OR S2)	Search modes - Boolean/Phrase	72,476
S2	depress*	Search modes - Boolean/Phrase	72,441
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,058

Cochrane Library

Search Name: nkr29 unipolar depression P3 sekundær

Date Run: 24/06/15

Description:

ID	Search	Hits
#1	MeSH descriptor: [Depression] explode all trees	5621
#2	MeSH descriptor: [Depressive Disorder] explode all trees	7716
#3	depress*:ti,ab,kw (Word variations have been searched)	42046
#4	#1 or #2 or #3	42079
#5	MeSH descriptor: [Behavior Therapy] explode all trees	10885
#6	MeSH descriptor: [Cognitive Therapy] explode all trees	5278
#7	cognitive near/2 therap*:ti,ab,kw (Word variations have been searched)	8826

#8	"behavioral activation":ti,ab,kw (Word variations have been searched)	
		158
#9	"behavioural activation":ti,ab,kw (Word variations have been searched)	
		158
#10	behavio* near/2 therap*:ti,ab,kw (Word variations have been searched)	
		10136
#11	functional near/2 therap*:ti,ab,kw (Word variations have been searched)	
		552
#12	cbt:ti,ab,kw (Word variations have been searched)	
		2512
#13	"interpersonal psychotherapy":ti,ab,kw (Word variations have been searched)	
		346
#14	MeSH descriptor: [Interpersonal Relations] explode all trees	
		4564
#15	MeSH descriptor: [Psychotherapy] explode all trees	
		16283
#16	#14 and #15	
		968
#17	"interpersonal therapy":ti,ab,kw (Word variations have been searched)	
		84
#18	ipt:ti,ab,kw (Word variations have been searched)	
		291
#19	MeSH descriptor: [Psychotherapy, Psychodynamic] explode all trees	
		8
#20	psychodynamic near/2 therapy:ti,ab,kw (Word variations have been searched)	
		124
#21	psychodynamic near/2 psychotherapy:ti,ab,kw (Word variations have been searched)	
		202
#22	MeSH descriptor: [Psychoanalytic Therapy] explode all trees	
		166
#23	psychoanalysis:ti,ab,kw (Word variations have been searched)	
		74
#24	MeSH descriptor: [Psychoanalysis] explode all trees	
		16
#25	psychoanalytic:ti,ab,kw (Word variations have been searched)	
		220
#26	{or #5-#13, #16-#25}	
		18257
#27	MeSH descriptor: [Antidepressive Agents] explode all trees	
		5015
#28	MeSH descriptor: [Combined Modality Therapy] explode all trees	
		17534
#29	MeSH descriptor: [Drug Therapy] explode all trees	
		118874
#30	"add on":ti,ab,kw (Word variations have been searched)	
		2778
#31	antidepressant*:ti,ab,kw (Word variations have been searched)	
		7678
#32	"serotonin-norepinephrine reuptake inhibitor*" or snri*:ti,ab,kw (Word variations have been searched)	
		228
#33	MeSH descriptor: [Serotonin Uptake Inhibitors] explode all trees	
		2420
#34	"selective serotonin reuptake inhibitor*" or SSRI*:ti,ab,kw (Word variations have been searched)	
		2108
#35	MeSH descriptor: [Citalopram] explode all trees	
		808
#36	citalopram:ti,ab,kw (Word variations have been searched)	
		1404
#37	escitalopram:ti,ab,kw (Word variations have been searched)	
		777
#38	fluoxetine:ti,ab,kw (Word variations have been searched)	
		2615
#39	MeSH descriptor: [Fluoxetine] explode all trees	
		1181
#40	mirtazapine:ti,ab,kw (Word variations have been searched)	
		524

#41	paroxetine:ti,ab,kw (Word variations have been searched)	1990
#42	MeSH descriptor: [Paroxetine] explode all trees	779
#43	sertraline:ti,ab,kw (Word variations have been searched)	1577
#44	MeSH descriptor: [Sertraline] explode all trees	647
#45	venlafaxine:ti,ab,kw (Word variations have been searched)	1171
#46	pharmacologic*:ti,ab,kw (Word variations have been searched)	12531
#47	pharmacotherapy:ti,ab,kw (Word variations have been searched)	4863
#48	"noradrenergic and specific serotonin antidepressant*" or nassa*:ti,ab,kw (Word variations have been searched)	24
#49	"norepinephrine reuptake inhibitor*" or "noradrenaline reuptake inhibitor*" or nri*:ti,ab,kw (Word variations have been searched)	475
#50	"norepinephrine dopamine reuptake inhibitor*" or ndri*:ti,ab,kw (Word variations have been searched)	7
#51	"selective serotonin reuptake enhancer*" or ssre*:ti,ab,kw (Word variations have been searched)	3
#52	"monoamine oxidase inhibitor*" or maoi*:ti,ab,kw (Word variations have been searched)	623
#53	{or #27-#52}	156323
#54	#4 and #26 and #53 Publication Year from 2008 to 2015, in Cochrane Reviews (Reviews and Protocols) and Other Reviews	62

I alt 1116 fundne reference, heraf 809 unikke.

PICO 4

Database(s): Ovid **MEDLINE(R)** In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)

1946 to Present

Søgt d. 30.06.2015

Search Strategy:

#	Searches	Results
1	Depression/	82151
2	exp Depressive Disorder/	84829
3	depress*.mp.	413704
4	1 or 2 or 3	414268
5	exp Behavior Therapy/	55408
6	exp Cognitive Therapy/	17724
7	(cognitive adj2 therap*).mp.	22213
8	(cognitive behavio* adj2 treatment).mp.	1712
9	behavioral activation.mp.	944
10	behavioural activation.mp.	219
11	(behavio* adj2 therap*).mp.	36608
12	(functional adj2 therap*).mp.	1868
13	cbt.mp.	5989
14	or/5-13	67026
15	Psychotherapy, Psychodynamic/	146
16	(psychodynamic adj2 therapy).mp.	413
17	(psychodynamic adj2 psychotherapy).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	894
18	psychoanalytic.mp.	28497
19	Psychoanalysis/	8276
20	psychoanalysis.mp.	11358
21	exp Psychoanalytic Therapy/	14780
22	or/15-21	35051
23	systematic review*.mp.	67203
24	meta-analysis/	56984
25	meta analys*.mp.	99895
26	metaanalys*.mp.	1644
27	exp meta-analysis as topic/	14337
28	or/23-27	140898
29	(comment or letter or newspaper article).pt.	1176228
30	28 not 29	134768
31	4 and 14 and 22	268

32	limit 31 to (meta analysis or systematic reviews)	43
33	30 and 31	34
34	32 or 33	45
35	limit 34 to (yr="2008 - 2015" and (danish or english or norwegian or swedish))	28

Database(s): **Embase** 1974 to 2015 June 29

Søgt d. 30.06.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involutional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	314307
2	depress*.ti,ab,kw.	445125
3	1 or 2	545211
4	"systematic review"/	91352
5	systematic review*.mp.	130015
6	meta analysis/	95292
7	meta analys*.mp.	146886
8	metaanalys*.mp.	5558
9	"meta analysis (topic)"/	20580
10	"systematic review (topic)"/	11520
11	or/4-10	219684
12	(comment or letter or newspaper article).pt.	896144
13	11 not 12	213390
14	exp behavior therapy/	38637
15	exp cognitive therapy/	37640
16	(cognitive adj2 therap*) .mp.	41285
17	behavioral activation.mp.	1195
18	behavioural activation.mp.	272
19	(behavio* adj2 therap*).mp.	53400
20	(functional adj2 therap*).mp.	2559
21	cbt.mp.	9328
22	psychodynamic psychotherapy/	374
23	(psychodynamic adj2 therapy).mp.	706
24	(psychodynamic adj2 psychotherapy).mp.	1456
25	psychoanalysis/	37472
26	psychoanalysis.mp.	38787

27	psychoanalytic.mp.	20260
28	(cognitive behavio* adj2 treatment).mp.	2691
29	or/14-21,28	77865
30	or/22-27	47341
31	3 and 29 and 30	547
32	limit 31 to (meta analysis or "systematic review")	67
33	13 and 31	92
34	32 or 33	92
35	limit 34 to ((danish or english or norwegian or swedish) and yr="2008 - 2015")	56

Database(s): **PsycINFO** 1806 to June Week 4 2015

Søgt d. 30.06.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	100305
2	"depression (emotion)"/	22329
3	depress*.mp.	266794
4	or/1-3	267021
5	(meta analys* or metaanalys* or systematic review*).mp.	30290
6	exp Meta Analysis/	3685
7	5 or 6	30290
8	exp behavior therapy/	17464
9	exp Cognitive Therapy/	12010
10	(cognitive adj2 therap*).mp.	31087
11	behavioral activation.mp.	1596
12	behavioural activation.mp.	228
13	(behavio* adj2 therap*).mp.	40166
14	(functional adj2 therap*).mp.	474
15	cbt.mp.	8905
16	psychodynamic psychotherapy/	2554
17	(psychodynamic adj2 therapy).mp.	1561
18	(psychodynamic adj2 psychotherapy).mp.	3740
19	exp Psychoanalysis/	49357
20	psychoanalysis.mp.	64651
21	psychoanalytic.mp.	66907
22	(cognitive behavio* adj2 treatment).mp.	4099
23	or/8-15,22	55651
24	or/16-21	100470
25	4 and 23 and 24	431
26	limit 25 to ("0830 systematic review" or 1200 meta analysis)	13
27	7 and 25	20

28	26 or 27	22
29	limit 28 to ((danish or english or norwegian or swedish) and yr="2008 - 2015")	12

CINAHL

Søgt d. 30.06.2015

#	Query	Limiters/Expanders	Results
S25	S23 OR S24	Limiters - Published Date: 20080101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	11
S24	S3 AND S7 AND S21 AND S22	Search modes - Boolean/Phrase	14
S23	S3 AND S21 AND S22	Limiters - Publication Type: Meta Analysis, Meta Synthesis, Systematic Review Search modes - Boolean/Phrase	6
S22	S14 OR S15 OR S16 OR S17 OR S18 OR S19	Search modes - Boolean/Phrase	1,877
S21	S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S20	Search modes - Boolean/Phrase	16,648
S20	(cognitive behavio* N2 treatment)	Search modes - Boolean/Phrase	546
S19	psychoanalytic	Search modes - Boolean/Phrase	1,164
S18	psychoanalysis	Search modes - Boolean/Phrase	680
S17	(MH "Psychoanalysis")	Search modes - Boolean/Phrase	568
S16	(psychodynamic N2 psychotherapy)	Search modes - Boolean/Phrase	197
S15	(psychodynamic N2 therapy)	Search modes - Boolean/Phrase	110
S14	(MH "Psychotherapy, Psychodynamic")	Search modes - Boolean/Phrase	46
S13	cbt	Search modes - Boolean/Phrase	1,576
S12	(behavio* N2 therap*)	Search modes - Boolean/Phrase	9,964
S11	"behavioural activation"	Search modes - Boolean/Phrase	32
S10	"behavioral activation"	Search modes - Boolean/Phrase	93
S9	cognitive N2 therap*	Search modes - Boolean/Phrase	9,438
S8	(MH "Behavior Therapy+")	Search modes - Boolean/Phrase	12,928
S7	S4 OR S5 OR S6	Search modes - Boolean/Phrase	49,293
S6	"meta analys*" OR "metaanalys*" OR "systematic review**"	Search modes - Boolean/Phrase	49,293
S5	(MH "Meta Analysis")	Search modes - Boolean/Phrase	16,175
S4	(MH "Systematic Review")	Search modes - Boolean/Phrase	22,865
S3	(S1 OR S2)	Search modes - Boolean/Phrase	72,582

S2	depress*	Search modes - Boolean/Phrase	72,547
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,121

Cochrane Library

Search Name: nkr29 unipolar depression P4 sekundær

Date Run: 30/06/15

Description:

ID	Search	Hits
#1	MeSH descriptor: [Depression] explode all trees	5631
#2	MeSH descriptor: [Depressive Disorder] explode all trees	7724
#3	depress*:ti,ab,kw (Word variations have been searched) 42679	
#4	#1 or #2 or #3 42712	
#5	MeSH descriptor: [Behavior Therapy] explode all trees 10909	
#6	MeSH descriptor: [Cognitive Therapy] explode all trees	5295
#7	cognitive near/2 therap*:ti,ab,kw (Word variations have been searched)	8994
#8	"behavioral activation":ti,ab,kw (Word variations have been searched)	161
#9	"behavioural activation":ti,ab,kw (Word variations have been searched)	161
#10	behavio* near/2 therap*:ti,ab,kw (Word variations have been searched) 10464	
#11	functional near/2 therap*:ti,ab,kw (Word variations have been searched) 579	
#12	cbt:ti,ab,kw (Word variations have been searched)	2539
#13	MeSH descriptor: [Psychotherapy, Psychodynamic] explode all trees	9
#14	psychodynamic near/2 therapy:ti,ab,kw (Word variations have been searched) 127	
#15	psychodynamic near/2 psychotherapy:ti,ab,kw (Word variations have been searched)	209
#16	MeSH descriptor: [Psychoanalytic Therapy] explode all trees	166
#17	psychoanalysis:ti,ab,kw (Word variations have been searched)	79
#18	MeSH descriptor: [Psychoanalysis] explode all trees	16
#19	psychoanalytic:ti,ab,kw (Word variations have been searched)	221
#20	(cognitive next behavi*) near/2 treatment:ti,ab,kw (Word variations have been searched)	962
#21	{or #5-#12, #20}	17679
#22	{or #13-#19}	527
#23	#4 and #21 and #22 Publication Year from 2008 to 2015, in Cochrane Reviews (Reviews and Protocols) and Other Reviews (Word variations have been searched) 16	

I alt 123 referencer, heraf 80 unikke.

PICO 5

Medline

Søgt d. 30.06.15

Database(s): Ovid MEDLINE(R) In-Process & Other Non-Indexed Citations and Ovid

MEDLINE(R) 1946 to Present

Search Strategy:

#	Searches	Results
1	Depression/	82151
2	exp Depressive Disorder/	84829
3	depress*.mp.	413704
4	1 or 2 or 3	414268
5	exp Behavior Therapy/	55408
6	exp Cognitive Therapy/	17724
7	(cognitive adj2 therap*).mp.	22213
8	behavioral activation.mp.	944
9	behavioural activation.mp.	219
10	(behavio* adj2 therap*).mp.	36608
11	(functional adj2 therap*).mp.	1868
12	cbt.mp.	5989
13	(cognitive behavio* adj2 treatment).mp.	1712
14	interpersonal psychotherapy.mp.	647
15	exp Interpersonal Relations/	268904
16	exp Psychotherapy/	155337
17	15 and 16	21350
18	interpersonal therapy.mp.	243
19	ipt.mp.	1550
20	systematic review*.mp.	67203
21	meta-analysis/	56984
22	meta analys*.mp.	99895
23	metaanalys*.mp.	1644
24	exp meta-analysis as topic/	14337
25	or/20-24	140898
26	(comment or letter or newspaper article).pt.	1176228
27	25 not 26	134768

28	5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13	67026
29	14 or 17 or 18 or 19	23167
30	4 and 28 and 29	782
31	27 and 30	55
32	limit 30 to (meta analysis or systematic reviews)	90
33	31 or 32	94
34	limit 33 to (yr="2008 - 2015" and (danish or english or norwegian or swedish))	56

Database(s): **Embase** 1974 to 2015 June 29

Søgt d. 30.06.15

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involutional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	314307
2	depress*.ti,ab,kw.	445125
3	1 or 2	545211
4	exp behavior therapy/	38637
5	exp cognitive therapy/	37640
6	(cognitive adj2 therap*).mp.	41285
7	behavioral activation.mp.	1195
8	behavioural activation.mp.	272
9	(behavio* adj2 therap*).mp.	53400
10	(functional adj2 therap*).mp.	2559
11	cbt.mp.	9328
12	(cognitive behavio* adj2 treatment).mp.	2691
13	interpersonal psychotherapy.mp.	870
14	exp human relation/	612212
15	exp psychotherapy/	200101
16	14 and 15	37588

17	interpersonal therapy.mp.	411
18	ipt.mp.	2016
19	"systematic review"/	91352
20	systematic review*.mp.	130015
21	meta-analysis/	95292
22	meta analys*.mp.	146886
23	metaanalyse*.mp.	5558
24	"meta analysis (topic)"/	20580
25	"systematic review (topic)"/	11520
26	or/19-25	219684
27	(comment or letter or newspaper article).pt.	896144
28	26 not 27	213390
29	4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12	77865
30	13 or 16 or 17 or 18	40063
31	3 and 29 and 30	3556
32	28 and 31	330
33	limit 32 to (meta analysis or "systematic review")	238
34	32 or 33	330
35	limit 34 to ((danish or english or norwegian or swedish) and yr="2008 - 2015")	209

Database(s): **PsycINFO** 1806 to June Week 4 2015

Søgt d. 01.07.15

Search Strategy:

#	Searches	Results
1	exp major depression/	100305
2	"depression (emotion)"/	22329
3	depress*.mp.	266794
4	or/1-3	267021
5	exp behavior therapy/	17464
6	exp Cognitive Therapy/	12010
7	(cognitive adj2 therap*).mp.	31087
8	behavioral activation.mp.	1596
9	behavioural activation.mp.	228

10	(behavio* adj2 therap*).mp.	40166
11	(functional adj2 therap*).mp.	474
12	cbt.mp.	8905
13	(cognitive behavio* adj2 treatment).mp.	4099
14	interpersonal psychotherapy/	1065
15	interpersonal psychotherapy.mp.	1591
16	interpersonal therapy.mp.	542
17	ipt.mp.	862
18	interpersonal relations.mp.	4250
19	exp Interpersonal Relationships/	133138
20	18 or 19	136058
21	exp Psychotherapy/	184630
22	20 and 21	9332
23	5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13	55651
24	14 or 15 or 16 or 17 or 22	11388
25	4 and 23 and 24	671
26	(meta analys* or metaanalys* or systematic review*).mp.	30290
27	exp Meta Analysis/	3685
28	26 or 27	30290
29	25 and 28	30
30	limit 29 to ("0830 systematic review" or 1200 meta analysis)	23
31	29 or 30	30
32	limit 31 to ((danish or english or norwegian or swedish) and yr="2008 - 2015")	20

CINAHL

Søgt d. 01.07.15

#	Query	Limiters/Expanders	Results
S28	S26 OR S27	Limiters - Published Date: 20080101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	13
S27	S3 AND S19 AND S20	Limiters - Publication Type: Meta Analysis, Meta	9

		Synthesis, Systematic Review Search modes - Boolean/Phrase	
S26	S21 AND S25	Search modes - Boolean/Phrase	18
S25	S22 OR S23 OR S24	Search modes - Boolean/Phrase	49,300
S24	"meta analys*" OR "metaanalys*" OR "systematic review**"	Search modes - Boolean/Phrase	49,300
S23	(MH "Meta Analysis")	Search modes - Boolean/Phrase	16,175
S22	(MH "Systematic Review")	Search modes - Boolean/Phrase	22,865
S21	S3 AND S19 AND S20	Search modes - Boolean/Phrase	186
S20	S12 OR S15 OR S16 OR S17	Search modes - Boolean/Phrase	14,430
S19	S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S18	Search modes - Boolean/Phrase	17,174
S18	(functional N2 therap*)	Search modes - Boolean/Phrase	552
S17	ipt	Search modes - Boolean/Phrase	151
S16	"interpersonal therapy"	Search modes - Boolean/Phrase	69
S15	(S13 AND S14)	Search modes - Boolean/Phrase	14,199
S14	(MH "Psychotherapy+")	Search modes - Boolean/Phrase	91,913
S13	(MH "Interpersonal Relations+")	Search modes - Boolean/Phrase	150,565
S12	"interpersonal psychotherapy"	Search modes - Boolean/Phrase	156
S11	(cognitive behavio* N2 treatment)	Search modes - Boolean/Phrase	546
S10	(MH "Cognitive Therapy+")	Search modes - Boolean/Phrase	8,550

S9	cbt	Search modes - Boolean/Phrase	1,578
S8	(behavio* N2 therap*)	Search modes - Boolean/Phrase	9,964
S7	"behavioural activation"	Search modes - Boolean/Phrase	32
S6	"behavioral activation"	Search modes - Boolean/Phrase	93
S5	cognitive N2 therap*	Search modes - Boolean/Phrase	9,438
S4	(MH "Behavior Therapy+")	Search modes - Boolean/Phrase	12,928
S3	(S1 OR S2)	Search modes - Boolean/Phrase	72,589
S2	depress*	Search modes - Boolean/Phrase	72,554
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,121

Cochrane Library

Search Name: nkr29 unipolar depression P5 sekundær

Date Run: 01/07/15

Description:

ID	Search	Hits
#1	MeSH descriptor: [Depression] explode all trees	5631
#2	MeSH descriptor: [Depressive Disorder] explode all trees	7724
#3	depress*:ti,ab,kw (Word variations have been searched)	42679
#4	#1 or #2 or #3	42712
#5	MeSH descriptor: [Behavior Therapy] explode all trees	10909
#6	MeSH descriptor: [Cognitive Therapy] explode all trees	5295
#7	cognitive near/2 therap*:ti,ab,kw (Word variations have been searched)	8994
#8	"behavioral activation":ti,ab,kw (Word variations have been searched)	161
#9	"behavioural activation":ti,ab,kw (Word variations have been searched)	161
#10	behavio* near/2 therap*:ti,ab,kw (Word variations have been searched)	10464
#11	functional near/2 therap*:ti,ab,kw (Word variations have been searched)	579
#12	cbt:ti,ab,kw (Word variations have been searched)	2539

#13	("cognitive behavio*" near/2 treatment):ti,ab,kw (Word variations have been searched)	962
#14	"interpersonal psychotherapy":ti,ab,kw (Word variations have been searched)	347
#15	MeSH descriptor: [Interpersonal Relations] explode all trees	4571
#16	MeSH descriptor: [Psychotherapy] explode all trees	16314
#17	#15 and #16	969
#18	"interpersonal therapy":ti,ab,kw (Word variations have been searched)	84
#19	ipt:ti,ab,kw (Word variations have been searched)	292
#20	#5 or #6 or #7 or #8 or #9 or #10 or #11 or #12 or #13	17679
#21	#14 or #17 or #18 or #19	1427
#22	#4 and #20 and #21 Publication Year from 2008 to 2015, in Cochrane Reviews (Reviews and Protocols) and Other Reviews	14

I alt 312 fundne referencer, heraf 244 unikke.

PICO 6

Database(s): Ovid **MEDLINE(R)** In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R) 1946 to Present

Søgt d. 26.06.2015

Search Strategy:

#	Searches	Results
1	Depressive Disorder, Treatment-Resistant/	376
2	(chronic adj2 depress*).mp.	2195
3	(persistent adj2 depress*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	612
4	long term depress*.mp.	3351
5	(resistant adj2 depress*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	2269
6	(refractory adj2 depress*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	687
7	1 or 2 or 3 or 4 or 5 or 6	8955
8	exp Behavior Therapy/	55408
9	exp Cognitive Therapy/	17724
10	(cognitive adj2 therap*).mp.	22206
11	(cognitive behavio* adj2 treatment).mp.	1712
12	behavioral activation.mp.	944
13	behavioural activation.mp.	219
14	(behavio* adj2 therap*).mp.	36600
15	(functional adj2 therap*).mp.	1867
16	cbt.mp.	5986
17	interpersonal psychotherapy.mp.	647
18	exp Interpersonal Relations/	268904
19	exp Psychotherapy/	155337
20	18 and 19	21350
21	interpersonal therapy.mp.	243

22	ipt.mp.	1549
23	Psychotherapy, Psychodynamic/	146
24	(psychodynamic adj2 therapy).mp.	413
25	(psychodynamic adj2 psychotherapy).mp.	894
26	cbasp.mp.	52
27	cognitive behavio?ral analysis system of psychotherapy.mp.	63
28	exp Psychoanalytic Therapy/	14780
29	psychoanalysis.mp.	11358
30	Psychoanalysis/	8276
31	psychoanalytic.mp.	28497
32	8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31	115028
33	systematic review*.mp.	67060
34	meta-analysis/	56984
35	meta analys*.mp.	99746
36	metaanalys*.mp.	1642
37	exp meta-analysis as topic/	14337
38	or/33-37	140678
39	(comment or letter or newspaper article).pt.	1175792
40	38 not 39	134555
41	7 and 32	378
42	limit 41 to (meta analysis or systematic reviews)	35
43	40 and 41	21
44	42 or 43	39
45	limit 44 to (yr="2005 - 2015" and (danish or english or norwegian or swedish))	29

Database(s): **Embase** 1974 to 2015 June 25

Søgt d. 26.06.15

Search Strategy:

#	Searches	Results
1	treatment resistant depression.mp. or exp treatment resistant depression/	2213
2	(chronic adj2 depress*).mp.	3123
3	(persistent adj2 depress*).mp.	758

4	long term depress*.mp.	5468
5	(resistant adj2 depress*).mp.	3651
6	(refractory adj2 depress*).mp.	991
7	1 or 2 or 3 or 4 or 5 or 6	13567
8	exp behavior therapy/	38619
9	exp cognitive therapy/	37603
10	(cognitive adj2 therap*).mp.	41240
11	(cognitive behavio* adj2 treatment).mp.	2689
12	behavioral activation.mp.	1193
13	behavioural activation.mp.	271
14	(behavio* adj2 therap*).mp.	53356
15	(functional adj2 therap*).mp.	2556
16	cbt.mp.	9311
17	interpersonal psychotherapy.mp.	870
18	exp human relation/	611687
19	exp psychotherapy/	199988
20	18 and 19	37553
21	interpersonal therapy.mp.	410
22	ipt.mp.	2013
23	psychodynamic psychotherapy/	370
24	(psychodynamic adj2 therapy).mp.	705
25	(psychodynamic adj2 psychotherapy).mp.	1451
26	cbasp.mp.	85
27	cognitive behavio?ral analysis system of psychotherapy.mp.	94
28	exp Psychoanalytic Therapy/	37452
29	psychoanalysis/	37452
30	psychoanalysis.mp.	38766
31	psychoanalytic.mp.	20242
32	8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 20 or 21 or 22 or 23 or 24 or 25 or 29 or 30 or 31	148072
33	systematic review*.mp.	129789
34	"systematic review"/	91259
35	meta analysis/	95154

36	meta analys*.mp.	146649
37	metaanalys*.mp.	5555
38	"meta analysis (topic)"/	20525
39	"systematic review (topic)"/	11496
40	or/33-39	219340
41	(comment or letter or newspaper article).pt.	895638
42	40 not 41	213052
43	7 and 32	650
44	limit 43 to (meta analysis or "systematic review")	40
45	42 and 43	62
46	44 or 45	62
47	limit 46 to ((danish or english or norwegian or swedish) and yr="2005 - 2015")	54

Database(s): **PsycINFO** 1806 to June Week 3 2015

Søgt d. 26.06.15

Search Strategy:

#	Searches	Results
1	exp Treatment Resistant Depression/ or treatment resistant depression.mp.	2018
2	(chronic adj2 depress*).mp.	2341
3	(persistent adj2 depress*).mp.	392
4	long term depress*.mp.	1615
5	(resistant adj2 depress*).mp.	2564
6	(refractory adj2 depress*).mp.	700
7	1 or 2 or 3 or 4 or 5 or 6	7144
8	exp behavior therapy/	17459
9	exp Cognitive Therapy/	12004
10	(cognitive adj2 therap*).mp.	31040
11	behavioral activation.mp.	1589
12	behavioural activation.mp.	225
13	(behavio* adj2 therap*).mp.	40122
14	(functional adj2 therap*).mp.	474
15	cbt.mp.	8884
16	interpersonal psychotherapy/	1064

17	interpersonal psychotherapy.mp.	1590
18	interpersonal therapy.mp.	542
19	ipt.mp.	860
20	psychodynamic psychotherapy/	2550
21	(psychodynamic adj2 therapy).mp.	1559
22	(psychodynamic adj2 psychotherapy).mp.	3735
23	exp Psychoanalysis/	49325
24	psychoanalysis.mp.	64623
25	psychoanalytic.mp.	66878
26	(cognitive behavio* adj2 treatment).mp.	4097
27	cbasp.mp.	88
28	cognitive behavio?ral analysis system of psychotherapy.mp.	109
29	8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28	154472
30	7 and 29	535
31	limit 30 to ("0830 systematic review" or 1200 meta analysis)	13
32	(meta analys* or metaanalys* or systematic review*).mp.	30192
33	exp Meta Analysis/	3680
34	32 or 33	30192
35	30 and 34	17
36	31 or 35	20
37	limit 36 to ((danish or english or norwegian or swedish) and yr="2005 - 2015")	18

CINAHL

Søgt d. 26.06.15

#	Query	Limiters/Expanders	Results
S36	S4 AND S35	Limiters - Published Date: 20050101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	8
S35	S27 AND S34	Search modes - Boolean/Phrase	141

S34	S28 OR S29 OR S30 OR S31 OR S32 OR S33	Search modes - Boolean/Phrase	1,483
S33	(refractory N2 depress*)	Search modes - Boolean/Phrase	55
S32	(resistant N2 depress*)	Search modes - Boolean/Phrase	264
S31	long term depress*	Search modes - Boolean/Phrase	404
S30	(persistent N2 depress*)	Search modes - Boolean/Phrase	116
S29	(chronic N2 depress*)	Search modes - Boolean/Phrase	690
S28	"treatment resistant depressi**"	Search modes - Boolean/Phrase	177
S27	S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26	Search modes - Boolean/Phrase	31,985
S26	"cognitive behavio?ral analysis system of psychotherapy"	Search modes - Boolean/Phrase	2
S25	"cbasp"	Search modes - Boolean/Phrase	1
S24	(functional* N2 therap*)	Search modes - Boolean/Phrase	568
S23	(cognitive behavio* N2 treatment)	Search modes - Boolean/Phrase	545
S22	psychoanalytic	Search modes - Boolean/Phrase	1,162
S21	psychoanalysis	Search modes - Boolean/Phrase	680
S20	(MH "Psychoanalysis")	Search modes - Boolean/Phrase	568
S19	(psychodynamic N2 psychotherapy)	Search modes - Boolean/Phrase	195
S18	(psychodynamic N2 therapy)	Search modes - Boolean/Phrase	110
S17	(MH "Psychotherapy, Psychodynamic")	Search modes - Boolean/Phrase	43

S16	ipt	Search modes - Boolean/Phrase	151
S15	"interpersonal therapy"	Search modes - Boolean/Phrase	69
S14	S12 AND S13	Search modes - Boolean/Phrase	14,182
S13	(MH "Psychotherapy+")	Search modes - Boolean/Phrase	91,806
S12	(MH "Interpersonal Relations+")	Search modes - Boolean/Phrase	150,416
S11	"interpersonal psychotherapy"	Search modes - Boolean/Phrase	156
S10	cbt	Search modes - Boolean/Phrase	1,571
S9	(behavio* N2 therap*)	Search modes - Boolean/Phrase	9,942
S8	"behavioural activation"	Search modes - Boolean/Phrase	32
S7	"behavioral activation"	Search modes - Boolean/Phrase	93
S6	cognitive N2 therap*	Search modes - Boolean/Phrase	9,419
S5	(MH "Behavior Therapy+")	Search modes - Boolean/Phrase	12,911
S4	S1 OR S2 OR S3	Search modes - Boolean/Phrase	49,037
S3	"meta analys*" OR "metaanalys*" OR "systematic review**"	Search modes - Boolean/Phrase	49,037
S2	(MH "Meta Analysis")	Search modes - Boolean/Phrase	16,112
S1	(MH "Systematic Review")	Search modes - Boolean/Phrase	22,698

Cochrane Library

Search Name: nkr29 unipolar depression P6 sekundær

Date Run: 26/06/15

Description:

ID	Search	Hits
#1	MeSH descriptor: [Behavior Therapy] explode all trees	10885
#2	MeSH descriptor: [Cognitive Therapy] explode all trees	5278
#3	cognitive near/2 therap*:ti,ab,kw (Word variations have been searched)	8826
#4	"behavioral activation":ti,ab,kw (Word variations have been searched)	158
#5	"behavioural activation":ti,ab,kw (Word variations have been searched)	158
#6	behavio* near/2 therap*:ti,ab,kw (Word variations have been searched)	10136
#7	functional near/2 therap*:ti,ab,kw (Word variations have been searched)	552
#8	cbt:ti,ab,kw (Word variations have been searched)	2512
#9	"interpersonal psychotherapy":ti,ab,kw (Word variations have been searched)	346
#10	MeSH descriptor: [Interpersonal Relations] explode all trees	4564
#11	MeSH descriptor: [Psychotherapy] explode all trees	16283
#12	#10 and #11	968
#13	"interpersonal therapy":ti,ab,kw (Word variations have been searched)	84
#14	ipt:ti,ab,kw (Word variations have been searched)	291
#15	MeSH descriptor: [Psychotherapy, Psychodynamic] explode all trees	8
#16	psychodynamic near/2 therapy:ti,ab,kw (Word variations have been searched)	124
#17	psychodynamic near/2 psychotherapy:ti,ab,kw (Word variations have been searched)	202
#18	MeSH descriptor: [Psychoanalytic Therapy] explode all trees	166
#19	psychoanalysis:ti,ab,kw (Word variations have been searched)	74
#20	MeSH descriptor: [Psychoanalysis] explode all trees	16
#21	psychoanalytic:ti,ab,kw (Word variations have been searched)	220
#22	cognitive behavio* near/2 treatment:ti,ab,kw (Word variations have been searched)	1170
#23	cbasp:ti,ab,kw (Word variations have been searched)	41
#24	cognitive behavio*ral analysis system of psychotherapy:ti,ab,kw (Word variations have been searched)	69
#25	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #12 or #13 or #14 or #15 or #16 or #17 or #18 or #19 or #20 or #21 or #22 or #23 or #24	18529
#26	MeSH descriptor: [Depressive Disorder, Treatment-Resistant] explode all trees	55
#27	"treatment resistant depression*":ti,ab,kw (Word variations have been searched)	286
#28	chronic near/2 depress*:ti,ab,kw (Word variations have been searched)	536

#29	persistent near/2 depress*:ti,ab,kw (Word variations have been searched)	
		60
#30	"long term depress*":ti,ab,kw (Word variations have been searched)	
		38
#31	refractory near/2 depress*:ti,ab,kw (Word variations have been searched)	
		137
#32	resistant near/2 depress*:ti,ab,kw (Word variations have been searched)	
		577
#33	#26 or #27 or #28 or #29 or #30 or #31 or #32	1314
#34	#33 and #25 Publication Year from 2005 to 2015, in Cochrane Reviews (Reviews and Protocols) and Other Reviews	5

I alt 114 fundne reference, heraf 83 unikke.

PICO 7

Database(s): Ovid **MEDLINE(R)** In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)

1946 to Present

Søgt d. 26.06.2015

Search Strategy:

#	Searches	Results
1	Depression/	82151
2	exp Depressive Disorder/	84829
3	depress*.mp.	413564
4	1 or 2 or 3	414128
5	systematic review*.mp.	67060
6	meta-analysis/	56984
7	meta analys*.mp.	99746
8	metaanalys*.mp.	1642
9	exp meta-analysis as topic/	14337
10	or/5-9	140678
11	(comment or letter or newspaper article).pt.	1175792
12	10 not 11	134555
13	Meditation/	1735
14	Mindfulness/	458
15	mindfulness.mp.	2520
16	meditat*.mp.	4166
17	or/13-16	5679
18	4 and 17	1001
19	12 and 18	64
20	limit 18 to (meta analysis or systematic reviews)	75
21	19 or 20	79
22	limit 21 to (yr="2008 - 2015" and (danish or english or norwegian or swedish))	69

Database(s): **Embase** 1974 to 2015 June 25

Search Strategy:

Søgt d. 26.06.2015

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involutional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or	314090

	treatment resistant depression/	
2	depress*.ti,ab,kw.	444838
3	1 or 2	544868
4	"systematic review"/	91259
5	systematic review*.mp.	129789
6	meta analysis/	95154
7	meta analys*.mp.	146649
8	metaanalys*.mp.	5555
9	"meta analysis (topic)"/	20525
10	"systematic review (topic)"/	11496
11	or/4-10	219340
12	(comment or letter or newspaper article).pt.	895638
13	11 not 12	213052
14	mindfulness/	1341
15	mindfulness.mp.	3895
16	meditation/	4507
17	meditat*.mp.	6972
18	or/14-17	9466
19	3 and 18	2002
20	limit 19 to (meta analysis or "systematic review")	118
21	13 and 19	163
22	20 or 21	163
23	limit 22 to ((danish or english or norwegian or swedish) and yr="2008 - 2015")	143

Database(s): **PsycINFO** 1806 to October Week 2 2015

Søgt d. 26.06.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	103025
2	"depression (emotion)"/	22512
3	depress*.mp.	273539
4	or/1-3	273766
5	(meta analys* or metaanalys* or systematic review*).mp.	31960
6	exp Meta Analysis/	3743
7	5 or 6	31960
8	exp Mindfulness/	4867
9	mindfulness.mp.	6830
10	exp meditation/	3425
11	meditat*.mp.	7010
12	or/8-11	12013
13	4 and 12	1998

14	limit 13 to ("0830 systematic review" or 1200 meta analysis)	69
15	7 and 13	90
16	14 or 15	98
17	limit 16 to ((danish or english or norwegian or swedish) and yr="2008 - 2015")	78

CINAHL

Søgt d. 26.06.2015

#	Query	Limiters/Expanders	Results
S15	S13 OR S14	Limiters - Published Date: 20080101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	29
S14	(S3 AND S12) AND (S3 AND S7 AND S12)	Search modes - Boolean/Phrase	27
S13	S3 AND S12	Limiters - Publication Type: Meta Analysis, Meta Synthesis, Systematic Review Search modes - Boolean/Phrase	25
S12	S8 OR S9 OR S10 OR S11	Search modes - Boolean/Phrase	3,346
S11	meditat*	Search modes - Boolean/Phrase	2,499
S10	(MH "Meditation")	Search modes - Boolean/Phrase	1,954
S9	mindfulness	Search modes - Boolean/Phrase	1,326
S8	(MH "Mindfulness")	Search modes - Boolean/Phrase	444
S7	S4 OR S5 OR S6	Search modes - Boolean/Phrase	49,037
S6	"meta analys*" OR "metaanalys*" OR "systematic review*"	Search modes - Boolean/Phrase	49,037
S5	(MH "Meta Analysis")	Search modes - Boolean/Phrase	16,112
S4	(MH "Systematic Review")	Search modes - Boolean/Phrase	22,698
S3	(S1 OR S2)	Search modes - Boolean/Phrase	72,477
S2	depress*	Search modes - Boolean/Phrase	72,442
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,058

Cochrane Library

Search Name: nkr29 unipolar depression P7 sekundær

Date Run: 26/06/15

Description:

ID	Search	Hits
#1	MeSH descriptor: [Depression] explode all trees	5621

#2	MeSH descriptor: [Depressive Disorder] explode all trees	
		7716
#3	depress*:ti,ab,kw (Word variations have been searched)	
		42046
#4	#1 or #2 or #3	42079
#5	MeSH descriptor: [Meditation] explode all trees	335
#6	MeSH descriptor: [Mindfulness] explode all trees	43
#7	mindfulness:ti,ab,kw (Word variations have been searched)	
		939
#8	meditat*:ti,ab,kw (Word variations have been searched)	
		930
#9	#5 or #6 or #7 or #8	1519
#10	#4 and #9 Publication Year from 2008 to 2015, in Cochrane Reviews (Reviews and Protocols) and Other Reviews	
		24

I alt 343 referencer, heraf 208 unikke.

PICO 8

Database(s): Ovid **MEDLINE(R)** In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)

1946 to Present

Søgt d. 29.06.2015

Search Strategy:

#	Searches	Results
1	Depression/	82151
2	exp Depressive Disorder/	84829
3	depress*.mp.	413618
4	1 or 2 or 3	414182
5	systematic review*.mp.	67118
6	meta-analysis/	56984
7	meta analys*.mp.	99799
8	metaanalys*.mp.	1643
9	exp meta-analysis as topic/	14337
10	or/5-9	140761
11	(comment or letter or newspaper article).pt.	1175990
12	10 not 11	134633
13	talking therap*.mp.	80
14	exp Counseling/	34514
15	counseling.mp.	74529
16	counselling.mp.	19064
17	problem solving therap*.mp.	259
18	problem solving treatment*.mp.	118
19	exp Psychotherapy/	155337
20	psychotherap*.mp.	70561
21	or/13-20	249133
22	4 and 21	23463
23	private practic*.mp.	13303
24	exp Private Practice/	10586
25	family practic*.mp.	63240
26	exp General Practice/	65068
27	general practic*.mp.	41583
28	exp Primary Health Care/	84269
29	primary care.mp.	78452
30	Family Nurse Practitioners/	16
31	General Practitioners/	2489
32	Physicians, Family/	14824
33	Physicians, Primary Care/	1572

34	or/23-33	224950
35	22 and 34	1948
36	12 and 35	76
37	limit 35 to (meta analysis or systematic reviews)	180
38	36 or 37	188
39	limit 38 to (yr="2008 - 2015" and (danish or english or norwegian or swedish))	112

Database(s): **Embase** 1974 to 2015 June 26

Søgt d. 29.06.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involutional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	314243
2	depress*.ti,ab,kw.	445068
3	1 or 2	545132
4	"systematic review"/	91314
5	systematic review*.mp.	129964
6	meta analysis/	95270
7	meta analys*.mp.	146834
8	metaanalys*.mp.	5556
9	"meta analysis (topic)"/	20558
10	"systematic review (topic)"/	11510
11	or/4-10	219607
12	(comment or letter or newspaper article).pt.	896031
13	11 not 12	213316
14	talking therap*.mp.	110
15	exp counseling/	117157
16	counseling.mp.	134608
17	counselling.mp.	28882
18	problem solving therap*.mp.	365
19	problem solving treatment*.mp.	147
20	exp psychotherapy/	200074
21	psychotherap*.mp.	100891
22	or/14-21	345667
23	exp private practice/	13193
24	private practic*.mp.	19038

25	general practice/	72685
26	family practic*.mp.	9219
27	general practic*.mp.	89335
28	exp primary health care/	117426
29	primary care.mp.	101628
30	family nurse practitioner/	55
31	general practitioner/	68873
32	or/23-31	284773
33	3 and 22 and 32	3644
34	limit 33 to (meta analysis or "systematic review")	161
35	13 and 33	237
36	34 or 35	239
37	limit 36 to ((danish or english or norwegian or swedish) and yr="2008 - 2015")	146

Database(s): **PsycINFO** 1806 to June Week 4 2015

Søgt d. 29.06.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	100305
2	"depression (emotion)"/	22329
3	depress*.mp.	266794
4	or/1-3	267021
5	(meta analys* or metaanalys* or systematic review*).mp.	30290
6	exp Meta Analysis/	3685
7	5 or 6	30290
8	talking therap*.mp.	142
9	exp counseling/	68767
10	counselling.mp.	9137
11	counseling.mp.	82961
12	problem solving therap*.mp.	351
13	problem solving treatment*.mp.	137
14	exp Psychotherapy/	184630
15	psychotherap*.mp.	160309
16	or/8-15	309040
17	private practice/	1263
18	private practic*.mp.	3584
19	family practic*.mp.	1927
20	general practic*.mp.	4802
21	primary health care/	13595
22	primary care.mp.	22657
23	general practitioners/	5008

24	family physicians/	1410
25	or/17-24	36998
26	4 and 16 and 25	1219
27	limit 26 to ("0830 systematic review" or 1200 meta analysis)	31
28	7 and 26	46
29	27 or 28	50
30	limit 29 to ((danish or english or norwegian or swedish) and yr="2008 - 2015")	39

CINAHL

Søgt d. 29.06.2015

#	Query	Limiters/Expanders	Results
S30	S28 OR S29	Limiters - Published Date: 20080101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	33
S29	S3 AND S7 AND S16 AND S27	Search modes - Boolean/Phrase	45
S28	S3 AND S16 AND S27	Limiters - Publication Type: Meta Analysis, Meta Synthesis, Systematic Review Search modes - Boolean/Phrase	31
S27	S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26	Search modes - Boolean/Phrase	80,157
S26	(MH "Physicians, Family")	Search modes - Boolean/Phrase	8,457
S25	General Practitioners	Search modes - Boolean/Phrase	5,206
S24	(MH "Family Nurse Practitioners")	Search modes - Boolean/Phrase	497
S23	primary care	Search modes - Boolean/Phrase	51,647
S22	(MH "Primary Health Care")	Search modes - Boolean/Phrase	31,214
S21	general practic*	Search modes - Boolean/Phrase	7,554
S20	family practic*	Search modes - Boolean/Phrase	14,029
S19	(MH "Family Practice")	Search modes - Boolean/Phrase	10,756
S18	private practic*	Search modes - Boolean/Phrase	8,851
S17	(MH "Private Practice+")	Search modes - Boolean/Phrase	3,857
S16	S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15	Search modes - Boolean/Phrase	121,486
S15	psychotherap*	Search modes - Boolean/Phrase	16,019
S14	(MH "Psychotherapy+")	Search modes - Boolean/Phrase	91,913
S13	problem solving treatment*	Search modes - Boolean/Phrase	114
S12	problem solving therap*	Search modes - Boolean/Phrase	191
S11	talking therap*	Search modes - Boolean/Phrase	169

S10	counselling	Search modes - Boolean/Phrase	6,837
S9	counseling	Search modes - Boolean/Phrase	27,419
S8	(MH "Counseling+")	Search modes - Boolean/Phrase	17,976
S7	S4 OR S5 OR S6	Search modes - Boolean/Phrase	49,293
S6	"meta analys*" OR "metaanalys*" OR "systematic review"	Search modes - Boolean/Phrase	49,293
S5	(MH "Meta Analysis")	Search modes - Boolean/Phrase	16,175
S4	(MH "Systematic Review")	Search modes - Boolean/Phrase	22,865
S3	(S1 OR S2)	Search modes - Boolean/Phrase	72,582
S2	depress*	Search modes - Boolean/Phrase	72,547
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,121

Cochrane Library

Search Name: nkr29 unipolar depression P8 sekundær

Date Run: 29/06/15

Description:

ID	Search	Hits
#1	MeSH descriptor: [Depression] explode all trees	5621
#2	MeSH descriptor: [Depressive Disorder] explode all trees	7716
#3	depress*:ti,ab,kw (Word variations have been searched)	42046
#4	#1 or #2 or #3	42079
#5	MeSH descriptor: [Counseling] explode all trees	3451
#6	counseling or counselling:ti,ab,kw (Word variations have been searched)	9016
#7	talking next therap*:ti,ab,kw (Word variations have been searched)	31
#8	"problem solving" next therap*:ti,ab,kw (Word variations have been searched)	169
#9	"problem solving" next treatment*:ti,ab,kw (Word variations have been searched)	123
#10	MeSH descriptor: [Psychotherapy] explode all trees	16283
#11	psychotherap*:ti,ab,kw (Word variations have been searched)	7405
#12	{or #5-#11}	26814
#13	private next practic*:ti,ab,kw (Word variations have been searched)	568
#14	MeSH descriptor: [Private Practice] explode all trees	132
#15	family next practic*:ti,ab,kw (Word variations have been searched)	2506
#16	MeSH descriptor: [General Practice] explode all trees	2337

#17	general next practic*:ti,ab,kw (Word variations have been searched)	
		4030
#18	MeSH descriptor: [Primary Health Care] explode all trees	3987
#19	"primary care":ti,ab,kw (Word variations have been searched)	8505
#20	MeSH descriptor: [Family Nurse Practitioners] explode all trees	0
#21	MeSH descriptor: [General Practitioners] explode all trees	91
#22	MeSH descriptor: [Physicians, Family] explode all trees	465
#23	MeSH descriptor: [Physicians, Primary Care] explode all trees	71
#24	{or #13-#23}	
		14518
#25	#4 and #12 and #24 Publication Year from 2008 to 2015, in Cochrane Reviews (Reviews and Protocols) and Other Reviews	14

I alt 347 referencer, heraf 240 unikke.

PICO 9

Database(s): Ovid **MEDLINE(R)** In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R) 1946 to Present

Søgt d. 29.06.15

Search Strategy:

#	Searches	Results
1	Depression/	82151
2	exp Depressive Disorder/	84829
3	depress*.mp.	413618
4	systematic review*.mp.	67118
5	meta-analysis/	56984
6	meta analys*.mp.	99799
7	metaanalys*.mp.	1643
8	exp meta-analysis as topic/	14337
9	or/4-8	140761
10	(comment or letter or newspaper article).pt.	1175990
11	9 not 10	134633
12	(friend* and (intervention* or counsel*)).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	5477
13	(friend* and therap*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	4007
14	(relatives and (intervention* or counsel*)).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	4206
15	(relatives and therap*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	3105
16	(network adj2 (intervention* or counsel*)).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	293

17	(network adj2 therap*).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	269
18	Family Therapy/	7802
19	(family adj (therap* or intervention* or counsel*)).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	9928
20	1 or 2 or 3	414182
21	or/12-19	24811
22	20 and 21	2000
23	11 and 22	55
24	Couples Therapy/	431
25	Marital Therapy/	1412
26	((couple* or marriage or marital) adj (therap* or counsel* or intervention*)).mp.	2418
27	or/24-26	2418
28	20 and 27	241
29	11 and 28	10
30	limit 23 to (yr="2005 - 2015" and (danish or english or norwegian or swedish))	45
31	limit 29 to (yr="2008 - 2015" and (danish or english or norwegian or swedish))	7
32	30 or 31	51
33	22 or 28	2209
34	limit 33 to (yr="2005 - 2015" and (danish or english or norwegian or swedish) and (meta analysis or systematic reviews))	79
35	32 or 34	84

Database(s): **Embase** 1974 to 2015 June 26

Søgt d. 29.06.15

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involutional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or	314243

	premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	
2	depress*.ti,ab,kw.	445068
3	1 or 2	545132
4	(friend* and (intervention* or counsel*)).mp.	7843
5	(friend* and therap*).mp.	8162
6	(relatives and (intervention* or counsel*)).mp.	6294
7	(relatives and therap*).mp.	7121
8	(network adj2 (intervention* or counsel*)).mp.	361
9	(network adj2 therap*).mp.	343
10	family therapy/	11616
11	(family adj (therap* or intervention* or counsel*)).mp.	19404
12	4 or 5 or 6 or 7 or 8 or 9 or 10 or 11	44457
13	3 and 12	4280
14	marital therapy/	2764
15	((couple* or marriage or marital) adj (therap* or counsel* or intervention*)).mp.	3663
16	14 or 15	3663
17	3 and 16	455
18	13 or 17	4633
19	limit 18 to ((meta analysis or "systematic review") and (danish or english or norwegian or swedish) and yr="2005 - 2015")	148
20	"systematic review"/	91314
21	systematic review*.mp.	129964
22	meta analysis/	95270
23	meta analys*.mp.	146834
24	metaanalys*.mp.	5556
25	"meta analysis (topic)"/	20558
26	"systematic review (topic)"/	11510
27	20 or 21 or 22 or 23 or 24 or 25 or 26	219607
28	(comment or letter or newspaper article).pt.	896031
29	27 not 28	213316
30	18 and 29	245

31	limit 30 to ((danish or english or norwegian or swedish) and yr="2005 - 2015")	201
32	19 or 31	201

Database(s): **PsycINFO** 1806 to June Week 4 2015

Søgt d. 29.06.15

Search Strategy:

#	Searches	Results
1	exp major depression/	100305
2	"depression (emotion)"/	22329
3	depress*.mp.	266794
4	1 or 2 or 3	267021
5	(friend* and (intervention* or counsel*)).mp.	7242
6	(friend* and therap*).mp.	4827
7	(relatives and (intervention* or counsel*)).mp.	2072
8	(relatives and therap*).mp.	1803
9	(network adj2 (intervention* or counsel*)).mp.	285
10	(network adj2 therap*).mp.	221
11	exp Family therapy/	19703
12	(family adj (therap* or intervention* or counsel*)).mp.	27165
13	5 or 6 or 7 or 8 or 9 or 10 or 11 or 12	40667
14	4 and 13	3490
15	((couple* or marriage or marital) adj (therap* or counsel* or intervention*)).mp.	9599
16	exp marriage counseling/	4941
17	exp couples therapy/	3403
18	15 or 16 or 17	9950
19	4 and 18	708
20	14 or 19	4005
21	limit 20 to (("0830 systematic review" or 1200 meta analysis) and (danish or english or norwegian or swedish) and yr="2005 - 2015")	39
22	(meta analys* or metaanalys* or systematic review*).mp.	30290
23	exp Meta Analysis/	3685
24	22 or 23	30290
25	20 and 24	60
26	limit 25 to ((danish or english or norwegian or swedish) and yr="2005 - 2015")	49

CINAHL

Søgt d. 29.06.15

#	Query	Limiters/Expanders	Results
S24	S18 OR S23	Limiters - Published Date: 20050101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	44
S23	(S16 OR S17) AND S22	Search modes - Boolean/Phrase	50
S22	S19 OR S20 OR S21	Search modes - Boolean/Phrase	49,293
S21	"meta analys*" OR "metaanalys*" OR "systematic review"	Search modes - Boolean/Phrase	49,293
S20	(MH "Meta Analysis")	Search modes - Boolean/Phrase	16,175
S19	(MH "Systematic Review")	Search modes - Boolean/Phrase	22,865
S18	S16 OR S17	Limiters - Publication Type: Meta Analysis, Meta Synthesis, Systematic Review Search modes - Boolean/Phrase	42
S17	S3 AND S15	Search modes - Boolean/Phrase	82
S16	S3 AND S12	Search modes - Boolean/Phrase	779
S15	S13 OR S14	Search modes - Boolean/Phrase	1,297
S14	((couple* or marriage or marital) N1 (therap* or counsel* or intervention*))	Search modes - Boolean/Phrase	1,297
S13	(MH "Couples Counseling")	Search modes - Boolean/Phrase	957
S12	S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11	Search modes - Boolean/Phrase	9,265
S11	(family N1 (therap* or intervention* or counsel*))	Search modes - Boolean/Phrase	3,768

S10	(MH "Family Therapy")	Search modes - Boolean/Phrase	2,106
S9	(network N2 therap*)	Search modes - Boolean/Phrase	92
S8	(network N2 (intervention* or counsel*))	Search modes - Boolean/Phrase	127
S7	(relatives and therap*)	Search modes - Boolean/Phrase	862
S6	(relatives and (intervention* or counsel*))	Search modes - Boolean/Phrase	1,052
S5	(friend* and therap*)	Search modes - Boolean/Phrase	2,140
S4	(friend* and (intervention* or counsel*))	Search modes - Boolean/Phrase	2,290
S3	S1 OR S2	Search modes - Boolean/Phrase	72,582
S2	depress*	Search modes - Boolean/Phrase	72,547
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,121

The Cochrane Library

Search Name: nkr29 unipolar depression P9 sekundær

Date Run: 30/06/15

ID	Search	Hits
#1	MeSH descriptor: [Depression] explode all trees	5621
#2	MeSH descriptor: [Depressive Disorder] explode all trees	7716
#3	depress*:ti,ab,kw (Word variations have been searched)	42323
#4	#1 or #2 or #3	42356
#5	(friend* and (intervention* or counsel*)):ti,ab,kw (Word variations have been searched)	705
#6	(friend* and therap*):ti,ab,kw (Word variations have been searched)	401
#7	(relatives near/4 (intervention* or counsel*)):ti,ab,kw (Word variations have been searched)	551
#8	(relatives near/4 therap*):ti,ab,kw (Word variations have been searched)	485
#9	(network near/2 (intervention* or counsel*)):ti,ab,kw (Word variations have been searched)	67
#10	(network near/2 therap*):ti,ab,kw (Word variations have been searched)	43

#11	MeSH descriptor: [Family Therapy] explode all trees	724
#12	(family near/2 (therap* or intervention* or counsel*)):ti,ab,kw (Word variations have been searched)	2307
#13	#5 or #6 or #7 or #8 or #9 or #10 or #11 or #12	4246
#14	MeSH descriptor: [Couples Therapy] explode all trees	62
#15	MeSH descriptor: [Marital Therapy] explode all trees	120
#16	((couple* or marriage or marital) near (therap* or counsel* or intervention*)):ti,ab,kw (Word variations have been searched)	799
#17	#14 or #15 or #16	799
#18	#4 and #13	643
#19	#4 and #17	133
#20	#18 or #19 Publication Year from 2005 to 2015, in Cochrane Reviews (Reviews and Protocols) and Other Reviews	39

I alt 423 referencer, heraf 309 unikke.

PICO 10

Database(s): Ovid **MEDLINE(R)** In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R) 1946 to Present

Søgt d. 25.06.2015

Search Strategy:

#	Searches	Results
1	Depression/	82151
2	exp Depressive Disorder/	84829
3	depress*.mp.	413517
4	1 or 2 or 3	414081
5	systematic review*.mp.	66997
6	meta-analysis/	56984
7	meta analys*.mp.	99694
8	metaanalys*.mp.	1641
9	exp meta-analysis as topic/	14337
10	or/5-9	140594
11	(comment or letter or newspaper article).pt.	1175616
12	10 not 11	134476
13	(collaborative adj2 care).mp. [mp=title, abstract, original title, name of substance word, subject heading word, keyword heading word, protocol supplementary concept word, rare disease supplementary concept word, unique identifier]	1781
14	4 and 13	642
15	12 and 14	54
16	limit 14 to (meta analysis or systematic reviews)	91
17	15 or 16	93
18	limit 17 to (yr="2008 - 2015" and (danish or english or norwegian or swedish))	72

Database(s): **Embase** 1974 to 2015 June 24

Søgt d. 25.06.2015

Search Strategy:

#	Searches	Results
1	depression/ or agitated depression/ or atypical depression/ or depressive psychosis/ or dysphoria/ or dysthymia/ or endogenous depression/ or involutional depression/ or late life depression/ or major depression/ or masked depression/ or melancholia/ or "mixed anxiety and depression"/ or "mixed depression and dementia"/ or mourning syndrome/ or organic depression/ or perry syndrome/ or postoperative depression/ or premenstrual dysphoric disorder/ or pseudodementia/ or puerperal depression/ or reactive depression/ or recurrent brief depression/ or seasonal affective disorder/ or treatment resistant depression/	314013
2	depress*.ti,ab,kw.	444756
3	1 or 2	544760
4	"systematic review"/	91189

5	systematic review*.mp.	129694
6	meta analysis/	95102
7	meta analys*.mp.	146550
8	metaanalys*.mp.	5552
9	"meta analysis (topic)"/	20495
10	"systematic review (topic)"/	11479
11	or/4-10	219194
12	(comment or letter or newspaper article).pt.	895467
13	11 not 12	212911
14	(collaborative adj2 care).mp. [mp=title, abstract, heading word, drug trade name, original title, device manufacturer, drug manufacturer, device trade name, keyword]	2414
15	3 and 14	830
16	limit 15 to (meta analysis or "systematic review")	58
17	13 and 15	82
18	16 or 17	82
19	limit 18 to ((danish or english or norwegian or swedish) and yr="2008 - 2015")	68

Database(s): **PsycINFO** 1806 to June Week 3 2015

Søgt d. 25.06.2015

Search Strategy:

#	Searches	Results
1	exp major depression/	100072
2	"depression (emotion)"/	22311
3	depress*.mp.	266250
4	or/1-3	266477
5	(meta analys* or metaanalys* or systematic review*).mp.	30192
6	exp Meta Analysis/	3680
7	5 or 6	30192
8	(collaborative adj2 care).mp. [mp=title, abstract, heading word, table of contents, key concepts, original title, tests & measures]	1115
9	4 and 8	450
10	limit 9 to ("0830 systematic review" or 1200 meta analysis)	29
11	7 and 9	34
12	10 or 11	40
13	limit 12 to ((danish or english or norwegian or swedish) and yr="2008 - 2015")	29

CINAHL

Søgt d. 25.06.2015

#	Query	Limiters/Expanders	Results
---	-------	--------------------	---------

S11	S9 OR S10	Limiters - Published Date: 20080101-20151231; Language: Danish, English, Norwegian, Swedish Search modes - Boolean/Phrase	15
S10	S3 AND S7 AND S8	Search modes - Boolean/Phrase	21
S9	S3 AND S8	Limiters - Publication Type: Meta Analysis, Meta Synthesis, Systematic Review Search modes - Boolean/Phrase	11
S8	collaborative N2 care	Search modes - Boolean/Phrase	1,259
S7	S4 OR S5 OR S6	Search modes - Boolean/Phrase	49,031
S6	"meta analys*" OR "metaanalys*" OR "systematic review**"	Search modes - Boolean/Phrase	49,031
S5	(MH "Meta Analysis")	Search modes - Boolean/Phrase	16,112
S4	(MH "Systematic Review")	Search modes - Boolean/Phrase	22,698
S3	(S1 OR S2)	Search modes - Boolean/Phrase	72,476
S2	depress*	Search modes - Boolean/Phrase	72,441
S1	(MH "Depression+")	Search modes - Boolean/Phrase	48,058

Cochrane Library

Search Name: nkr29 unipolar depression P10 sekundær

Date Run: 25/06/15

Description:

ID	Search	Hits
#1	MeSH descriptor: [Depression] explode all trees	5621
#2	MeSH descriptor: [Depressive Disorder] explode all trees	7716
#3	depress*:ti,ab,kw (Word variations have been searched)	42046
#4	#1 or #2 or #3	42079
#5	collaborative near/2 care:ti,ab,kw (Word variations have been searched)	424
#6	#4 and #5 Publication Year from 2008 to 2015, in Cochrane Reviews (Reviews and Protocols) and Other Reviews	9

I alt 193 referencer, heraf 98 unikke.