

ANNEX I

Identifi-cation number of the feed additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maxi-mum age	Minimum content	Maxi-mum content	Other provisions	End of period of authorisa-tion
						CFU/kg of complete feedingstuff with a moisture content of 12%			
<b>Category: zootechnical additives. Functional group: gut flora stabilisers.</b>									
4b1823i	Kemin Europa N.V.	<i>Bacillus velezensis</i> ATCC PTA-6737	<p><b>Additive composition</b> Preparation of <i>Bacillus velezensis</i> ATCC PTA-6737 containing a minimum of <math>8 \times 10^{10}</math> CFU/g additive; Solid</p> <p><b>Characterisation of the active substance</b> Viable cells of <i>Bacillus velezensis</i> ATCC PTA-6737.</p> <p><b>Analytical method (1)</b> Enumeration: Spread plate method on tryptone soya agar (EN 15784)</p> <p>Identification: Pulsed-Field Gel Electrophoresis (PFGE) - CEN/TS 17697 or DNA sequencing methods</p>	<p>Suidae for fattening Piglets of all Suidae species</p> <p>Sows of all Suidae species Turkeys for fattening and turkeys reared for breeding</p>	<p>-</p>	$1 \times 10^7$	<p>-</p>	<ol style="list-style-type: none"> <li>In the directions for use of the additive and premixture, the storage conditions and stability to heat treatment shall be indicated.</li> <li>The additive may be used simultaneously only with the following coccidiostats, in accordance with their respective conditions of authorisation as feed additives: diclazuril, robenidine hydrochloride, lasalocid A sodium, maduramicin ammonium, monensin sodium, decoquinate, salinomycin sodium, narasin, narasin/nicarbazin and halofuginone.</li> <li>For users of the additive</li> </ol>	<p>[10 years from the date of entry into force of this Regulation. To be completed by the Service responsible for the publication]</p>

(1) Details of the analytical methods are available at the following address of the Reference Laboratory: [https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports\\_en](https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en)

								and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing and skin protective equipment.	
--	--	--	--	--	--	--	--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

## ANNEX II

Ident-ification number of the feed additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maxi-mum age	Minimum content	Maxi-mum content	Other provisions	End of period of authorisa-tion
						CFU/kg of complete feedingstuff with a moisture content of 12%			
<b>Category: zootechnical additives. Functional group: gut flora stabilisers.</b>									
4b1823i	Kemin Europa N.V.	<i>Bacillus velezensis</i> ATCC PTA-6737	<p><b>Additive composition</b>            Preparation of <i>Bacillus velezensis</i> ATCC PTA-6737 containing a minimum of <math>8 \times 10^{10}</math> CFU/g additive;</p> <p><b>Characterisation of the active substance</b>            Viable spores of <i>Bacillus velezensis</i> ATCC PTA-6737.</p> <p><b>Analytical method (1)</b>            Enumeration: Spread plate method on tryptone soya agar (EN 15784)            Identification: Pulsed-Field Gel Electrophoresis (PFGE) - CEN/TS 17697 or DNA sequencing methods</p>	Chickens for fattening Chickens reared for laying Minor poultry species except minor poultry for laying	-	$1 \times 10^8$	-	1. In the directions for use of the additive and premixture, the storage conditions and stability to heat treatment shall be indicated. 2. The additive may be used simultaneously only with the following coccidiostats, in accordance with their respective conditions of authorisation as feed additives: diclazuril, robenidine hydrochloride, lasalocid A sodium, maduramicin ammonium, monensin sodium, decoquinate, salinomycin sodium, narasin, narasin/nicarbazin and halofuginone. 3. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures,	9 March 2033
						$1 \times 10^7$			

								the additive and premixtures shall be used with personal breathing and skin protective equipment.	
--	--	--	--	--	--	--	--	---------------------------------------------------------------------------------------------------	--

(1) Details of the analytical methods are available at the following address of the Reference Laboratory: [https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports\\_en](https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en)