

ANNEX I

Identification number of the additive	Name of the holder of authorisation	Name of the additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						CFU/kg of complete feed with a moisture content of 12%			
Category: zootechnical additives. Functional group: gut flora stabilisers.									
4b1823i	Kemin Europa N.V.	Bacillus velezensis ATCC PTA-6737	Additive composition Preparation of <i>Bacillus velezensis</i> ATCC PTA-6737 containing a minimum of 8×10^{10} CFU/g additive; Solid form Characterisation of the active substance Viable spores of <i>Bacillus velezensis</i> ATCC PTA-6737. Analytical method ⁽¹⁾ Enumeration: Spread plate method using tryptone soya agar (EN 15784) Identification: Pulsed-Field Gel Electrophoresis (PFGE) method - CEN/TS 17697 or DNA sequencing methods	Chickens for fattening	–	1×10^8	-	1. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 2. The additive may be used simultaneously only with the following coccidiostats, in accordance with their respective conditions of authorisation as feed additives: diclazuril, robenidine hydrochloride, lasalocid A sodium, maduramicin ammonium, monensin sodium, decoquinate, salinomycin sodium, narasin, narasin/nicarbazin, halofuginone, amprolium, nicarbazin, monensin/nicarbazin and semduramicin. 3. For users of the additive and premixtures, feed business operators shall establish operational	9 March 2033
				Chickens reared for laying or reproduction Minor poultry species except minor poultry for laying or reproduction Ornamental birds			1×10^7		

								procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing and skin protective equipment.	
--	--	--	--	--	--	--	--	---	--

- (1) Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

ANNEX II

Identification number of the additive	Name of the holder of authorisation	Name of the additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						CFU/kg of complete feed with a moisture content of 12%			
Category: zootechnical additives. Functional group: gut flora stabilisers.									
4b1823i	Kemin Europa N.V.	<i>Bacillus velezensis</i> ATCC PTA-6737	Additive composition Preparation of <i>Bacillus velezensis</i> ATCC PTA-6737 containing a minimum of 8×10^{10} CFU/g additive Solid form Characterisation of the active substance Viable cells of <i>Bacillus velezensis</i> ATCC PTA-6737. Analytical method ⁽¹⁾ Enumeration: Spread plate method on tryptone soya agar (EN 15784) Identification: Pulsed-Field Gel Electrophoresis (PFGE) - CEN/TS 17697 or DNA sequencing methods	Porcine species for fattening	–	1×10^7	-	1. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 2. The additive may be used simultaneously only with the following coccidiostats, in accordance with their respective conditions of authorisation as feed additives: diclazuril, robenidine hydrochloride, lasalocid A sodium, maduramicin ammonium, monensin sodium, decoquinate, salinomycin sodium, narasin, narasin/nicarbazin, halofuginone, amprolium, nicarbazin,	8 January 2035
				Piglets of porcine species					
				Sows of porcine species		1×10^8			
				Turkeys for fattening and turkeys reared for reproduction					

⁽¹⁾ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

								monensin/nicarbazin and semduramicin. 3. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing and skin protective equipment.	
--	--	--	--	--	--	--	--	---	--