

EN

ANNEX

Identification number of the additive	Name of the additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					CFU/kg of fresh material			
Category: technological additives. Functional group: silage additives								
1k20725	<i>Lactiplantibacillus plantarum</i> ATTC PTA-6139	Additive composition Preparation of <i>Lactiplantibacillus plantarum</i> ATTC PTA-6139 containing a minimum of 1 × 10 ¹⁰ CFU/g additive Solid form ----- Characterisation of the active substance Viable cells of <i>Lactiplantibacillus plantarum</i> ATTC PTA-6139 Analytical method¹ Enumeration in the feed additive of <i>Lactiplantibacillus plantarum</i> ATTC PTA-6139:	All animal species	-	-	-	1. In the directions for use of the additive and premixtures, the storage conditions shall be indicated. 2. The additive shall only be used in easy to ensile fresh material². 3. Minimum dose of the additive when it is not used in combination with other micro-organisms and/or enzymes as silage additives: 2 × 10⁷ CFU/kg fresh material. 4. Cryoprotectants used in the preparation of	[10 years from the date of entry into force of this Regulation. To be completed by the OP]

¹ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

² Easy to ensile forage: > 3 % soluble carbohydrates in fresh material in accordance with Commission Regulation (EC) No 429/2008 of 25 April 2008 on detailed rules for the implementation of Regulation (EC) No 1831/2003 of the European Parliament and of the Council as regards the preparation and the presentation of applications and the assessment and the authorisation of feed additives (OJ L 133, 22.5.2008, p. 1).

Identi- fication number of the additive	Name of the additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisa- tion
					CFU/kg of fresh material			
Category: technological additives. Functional group: silage additives								
		- Spread plate method on MRS agar (EN 15787) Identification of <i>Lactiplantibacillus plantarum</i> ATTC PTA-6139: - Pulsed Field Gel Electrophoresis (PFGE) - CEN/TS 17697 or DNA sequencing methods					<i>Lactiplantibacillus plantarum</i> ATTC PTA-6139 may include inter alia: - inositol - monosodium glutamate. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal skin and breathing protective equipment.	

Identi- fication number of the additive	Name of the additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisa- tion
					CFU/kg of fresh material			
Category: technological additives. Functional group: silage additives								
1k20735	<i>Lacticaseibacillus paracasei</i> ATCC PTA-6135	Additive composition Preparation of <i>Lacticaseibacillus paracasei</i> ATCC PTA-6135 containing a minimum of 1×10^{10} CFU/g additive Solid form ----- Characterisation of the active substance Viable cells of <i>Lacticaseibacillus paracasei</i> ATCC PTA-6135 ----- Analytical method ³ Enumeration in the feed additive of <i>Lacticaseibacillus paracasei</i> ATCC PTA-6135: - Spread plate method on MRS agar (EN 15787) Identification of <i>Lacticaseibacillus paracasei</i> ATCC PTA-6135:	All animal species	-	-	-	1. In the directions for use of the additive and premixtures, the storage conditions shall be indicated. 2. The additive shall only be used in easy to ensile fresh material⁴. 3. Minimum dose of the additive when it is not used in combination with other micro-organisms and/or enzymes as silage additives: $1,3 \times 10^6$ CFU/kg fresh material. 4. Cryoprotectants used in the preparation of <i>Lacticaseibacillus paracasei</i> ATCC PTA-6135 may include inter alia: - inositol - monosodium glutamate.	[10 years from the date of entry into force of this Regulation. To be completed by the OP]

³ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

⁴ Easy to ensile forage: > 3 % soluble carbohydrates in fresh material in accordance with Commission Regulation (EC) No 429/2008 of 25 April 2008 on detailed rules for the implementation of Regulation (EC) No 1831/2003 of the European Parliament and of the Council as regards the preparation and the presentation of applications and the assessment and the authorisation of feed additives (OJ L 133, 22.5.2008, p. 1).

Identi- fication number of the additive	Name of the additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisa- tion
					CFU/kg of fresh material			
Category: technological additives. Functional group: silage additives								
		- Pulsed Field Gel Electrophoresis (PFGE) - CEN/TS 17697 or DNA sequencing methods					5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal skin and breathing protective equipment.	