

[AnnexII]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
010000	<b>FRUITS, FRESH or FROZEN; TREE NUTS</b>									0.05*	
0110000	<b>Citrus fruits</b>	0.01*	0.01*	0.05 (+)	0.04	0.15 (+)	0.01*	0.01*	0.01*		
0110010	Grapefruits				(+)						0.01*
0110020	Oranges				(+)						<b>0.5</b>
0110030	Lemons				(+)						<b>0.5</b>
0110040	Limes				(+)						<b>0.5</b>
0110050	Mandarins				(+)						0.01*
0110990	Others										0.01*
0120000	<b>Tree nuts</b>		0.01*	0.05	0.02*	0.06*	0.01*	0.01*	0.01*		0.02*
0120010	Almonds	0.01*			(+)						
0120020	Brazil nuts	0.01*			(+)						
0120030	Cashew nuts	0.01*			(+)						
0120040	Chestnuts	0.01*			(+)						
0120050	Coconuts	0.01*			(+)						
0120060	Hazelnuts/cobnuts	0.1			(+)						
0120070	Macadamias	0.01*			(+)						
0120080	Pecans	0.01*			(+)						
0120090	Pine nut kernels	0.01*			(+)						
0120100	Pistachios	0.01*			(+)						
0120110	Walnuts	0.01*			(+)						
0120990	Others	0.01*									
0130000	<b>Pome fruits</b>		0.2	0.01*		0.3	0.01*	0.01*	1		1
0130010	Apples	<b>0.3</b>			0.2 (+)						(+)
0130020	Pears	0.2			0.1 (+)						
0130030	Quinces	0.2			0.1 (+)						
0130040	Medlars	0.2			0.1 (+)						
0130050	Loquats/Japanese medlars	0.2			0.1 (+)						
0130990	Others	0.2			0.1						
0140000	<b>Stone fruits</b>		0.01*	0.01*			0.01*	0.01*			
0140010	Apricots	0.2			0.15 (+)	0.3			0.01*		0.01*
0140020	Cherries (sweet)	0.01*			0.1 (+)	0.4 (+)			<b>2</b>		0.01*
0140030	Peaches	0.2			0.15 (+)	0.4			<b>0.7</b>		0.01*
0140040	Plums	0.01*			0.07 (+)	0.3 (+)			0.01*		0.1*
0140990	Others	0.01*			0.01*	0.03*			0.01*		0.01*
0150000	<b>Berries and small fruits</b>					0.03*					
0151000	<b>(a) grapes</b>	0.01*	1	<b>0.3</b>	0.2		0.01*	4	7		<b>0.7</b>
0151010	Table grapes				(+)						
0151020	Wine grapes				(+)						
0152000	<b>(b) strawberries</b>	<b>0.15</b>	0.01*	1 (+)	0.2 (+)		<b>0.3</b>	<b>4</b>	0.6	(+)	0.01*
0153000	<b>(c) cane fruits</b>	0.01*	0.01*	1 (+)	0.1		0.01*	0.01*	0.01*		0.01*
0153010	Blackberries				(+)						
0153020	Dewberries				(+)						
0153030	Raspberries (red and yellow)				(+)						
0153990	Others										
0154000	<b>(d) other small fruits and berries</b>				0.6		0.1				0.01*
0154010	Blueberries	0.01*	0.01*	<b>3</b>	(+)			0.01*	0.01*		
0154020	Cranberries	<b>0.15</b>	0.01*	0.01*	(+)			<b>4</b>	0.01*		
0154030	Currants (black, red and white)	0.01*	0.01*	0.01*	(+)			0.01*	0.01*		
0154040	Gooseberries (green, red and yellow)	0.01*	0.01*	0.01*	(+)			0.01*	0.01*		
0154050	Rose hips	0.01*	0.01*	0.01*	(+)			0.01*	0.01*		
0154060	Mulberries (black and white)	0.01*	0.01*	0.01*	(+)			0.01*	0.01*		
0154070	Azaroles/Mediterranean medlars	0.01*	<b>0.2</b>	0.01*	(+)			0.01*	<b>1</b>		
0154080	Elderberries	0.01*	0.01*	0.01*	(+)			0.01*	0.01*		
0154990	Others	0.01*	0.01*	0.01*				0.01*	0.01*		
0160000	<b>Miscellaneous fruits with</b>					0.03*	0.01*	0.01*			
0161000	<b>(a) edible peel</b>	0.01*		0.01*							0.01*
0161010	Dates		0.01*		0.01*				0.01*		
0161020	Figs		0.01*		0.01*				0.01*		
0161030	Table olives		0.01*		1 (+)				0.01*		
0161040	Kumquats		0.01*		0.01*				0.01*		
0161050	Carambolas		0.01*		0.01*				0.01*		
0161060	Kaki/Japanese persimmons		<b>0.2</b>		0.01*				<b>1</b>		
0161070	Jambuls/jambolans		0.01*		0.01*				0.01*		

[AnnexII]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
0161990	Others		0.01*		0.01*				0.01*		
0162000	<b>(b) inedible peel, small</b>		0.01*	0.01*					0.01*		0.01*
0162010	Kiwi fruits (green, red, yellow)	0.4			0.15 (+)						
0162020	Litchis/lychees	0.01*			0.01*						
0162030	Passionfruits/maracujas	0.01*			0.01*						
0162040	Prickly pears/cactus fruits	0.01*			0.01*						
0162050	Star apples/cainitos	0.01*			0.01*						
0162060	American persimmons/Virginia kaki	0.01*			0.01*						
0162990	Others	0.01*			0.01*						
0163000	<b>(c) inedible peel, large</b>		0.01*		0.01*				0.01*		
0163010	Avocados	0.01*		0.01*							0.01*
0163020	Bananas	0.08		0.1							0.01*
0163030	Mangoes	0.6 (+)		0.5							0.01*
0163040	Papayas	0.01*		0.4							0.4
0163050	Granate apples/pomegranates	0.01*		0.01*							0.01*
0163060	Cherimoyas	0.01*		0.01*							0.01*
0163070	Guavas	0.01*		0.01*							0.01*
0163080	Pineapples	0.01*		0.01*							0.01*
0163090	Breadfruits	0.01*		0.01*							0.01*
0163100	Durians	0.01*		0.01*							0.01*
0163110	Soursops/guanabanas	0.01*		0.01*							0.01*
0163990	Others	0.01*		0.01*							0.01*
0200000	<b>VEGETABLES, FRESH or FROZEN</b>										
0210000	<b>Root and tuber vegetables</b>	0.01*		0.05				0.01*	0.01*		
0211000	<b>(a) potatoes</b>		0.02		0.3 (+)	0.09	0.15			0.05*	0.05
0212000	<b>(b) tropical root and tuber vegetables</b>		0.02		0.01*	0.03*				0.05*	0.01*
0212010	Cassava roots/manioc						0.01*				
0212020	Sweet potatoes						0.01*				
0212030	Yams						0.15				
0212040	Arrowroots						0.01*				
0212990	Others						0.01*				
0213000	<b>(c) other root and tuber vegetables except sugar beets</b>				0.02*	0.03*					0.01*
0213010	Beetroots		0.01*		(+)		0.5			0.05*	
0213020	Carrots		0.01*		(+)		0.4			0.7	
0213030	Celeriacs/turnip rooted celeries		0.01*		(+)		0.5			0.2	
0213040	Horseradishes		0.01*		(+)		0.5			0.7	
0213050	Jerusalem artichokes		0.02		(+)		0.5			0.05*	
0213060	Parsnips		0.01*		(+)		0.5			0.7	
0213070	Parsley roots/Hamburg roots parsley		0.01*		(+)		0.5			0.7	
0213080	Radishes		0.01*		(+)		0.5			0.05*	
0213090	Salsifies		0.01*		(+)		0.5			0.7	
0213100	Swedes/rutabagas		0.01*		(+)		0.5			0.4	
0213110	Turnips		0.01*		(+)		0.5			0.4	
0213990	Others		0.01*		(+)		0.5			0.05*	
0220000	<b>Bulb vegetables</b>		0.01*	0.01*		0.03*		0.01*	0.01*	0.05*	0.01*
0220010	Garlic	0.15			0.06 (+)		0.3			(+)	
0220020	Onions	0.15			0.06 (+)		0.3			(+)	
0220030	Shallots	0.15			0.06 (+)		0.3			(+)	
0220040	Spring onions/green onions and Welsh onions	0.01*			0.3 (+)		0.01*				
0220990	Others	0.01*			0.01*		0.01*				
0230000	<b>Fruiting vegetables</b>							0.01*		0.05*	
0231000	<b>(a) solanacea</b>										1.5
0231010	Tomatoes	0.3	0.9	0.3	0.07 (+)	0.5 (+)	0.01*		0.6	(+)	
0231020	Sweet peppers/bell peppers	0.01*	1	0.5	0.2 (+)	0.3	0.01*		2	(+)	
0231030	Aubergines/eggplants	0.01*	0.9	0.3	0.4 (+)	0.5 (+)	1		0.6	(+)	
0231040	Okra/lady's fingers	0.01*	1	0.2	0.01*	0.03*	0.01*		0.01*		
0231990	Others	0.01*	1	0.01*	0.01*	0.03*	0.01*		0.01*		
0232000	<b>(b) cucurbits with edible peel</b>	0.01*	0.08	0.01*	0.2	0.5	0.03		0.5	(+)	
0232010	Cucumbers				(+)						0.5
0232020	Gherkins				(+)						1.5
0232030	Courgettes				(+)	(+)					0.5
0232990	Others										0.5
0233000	<b>(c) cucurbits with inedible peel</b>	0.01*	0.01*	0.01*		0.4 (+)	0.01*		0.5	(+)	

[AnnexII]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
0233010	Melons				0.02* (+)						<b>0.3</b>
0233020	Pumpkins				0.2 (+)						0.01*
0233030	Watermelons				0.02* (+)						0.01*
0233990	Others				0.02*						0.01*
0234000	<b>(d) sweet corn</b>	0.01*	0.01*	0.01*	0.02* (+)	0.03*	0.01*		0.01*		0.01*
0239000	<b>(e) other fruiting vegetables</b>	0.01*	<b>0.9</b>	0.01*	0.01*	0.03*	0.01*		0.01*		0.01*
0240000	<b>Brassica vegetables (excluding brassica roots and brassica baby leaf crops)</b>	0.01*	0.01*				0.01*	0.01*	0.01*		
0241000	<b>(a) flowering brassica</b>			0.4	0.1	0.03*				0.05*	0.01*
0241010	Broccoli				(+)						
0241020	Cauliflowers				(+)						
0241990	Others										
0242000	<b>(b) head brassica</b>			0.4						0.05*	
0242010	Brussels sprouts				0.01* (+)	0.6					0.5 (+)
0242020	Head cabbages				0.1 (+)	0.5					0.2 (+)
0242990	Others				0.01*	0.03*					0.01*
0243000	<b>(c) leafy brassica</b>			0.01*		0.03*				0.5	0.01*
0243010	Chinese cabbages/pe-tsai				0.2 (+)						
0243020	Kales				0.01* (+)						
0243990	Others				0.01*						
0244000	<b>(d) kohlrabies</b>			0.4	0.01* (+)	0.03*				0.3	0.01*
0250000	<b>Leaf vegetables, herbs and edible flowers</b>										
0251000	<b>(a) lettuces and salad plants</b>		0.01*			0.03*	0.02		0.01*		0.01*
0251010	Lamb's lettuces/corn salads	0.3		0.01*	2 (+)			0.01*		0.6	
0251020	Lettuces	<b>0.4</b>		0.01*	0.5 (+)			20		<b>4</b>	
0251030	Escaroles/broad-leaved endives	0.3		0.01*	0.1 (+)			0.01*		0.05*	
0251040	Cresses and other sprouts and shoots	0.3		0.01*	2 (+)			0.01*		0.6	
0251050	Land cresses	0.3		0.01*	2 (+)			0.01*		0.05*	
0251060	Roman rocket/rucola	0.3		0.01*	2 (+)			0.01*		0.6	
0251070	Red mustards	0.3		0.01*	2 (+)			0.01*		0.05*	
0251080	Baby leaf crops (including brassica species)	0.3		4	2 (+)			0.01*		0.6	
0251990	Others	0.3		0.01*	0.01*			0.01*		0.05*	
0252000	<b>(b) spinaches and similar leaves</b>		0.01*	0.01*	0.01*	0.03*	0.02	20	0.01*	0.05*	0.01*
0252010	Spinaches	<b>0.6</b>			(+)						
0252020	Purslanes	0.01*			(+)						
0252030	Chards/beet leaves	0.01*			(+)						
0252990	Others	0.01*									
0253000	<b>(c) grape leaves and similar species</b>	0.01*	0.01*	0.01*	2 (+)	0.03*	0.01*	0.01*	0.01*	0.05*	0.01*
0254000	<b>(d) watercresses</b>	0.01*	0.01*	0.01*	2 (+)	0.03*	0.01*	0.01*	0.01*	0.05*	0.01*
0255000	<b>(e) witloofs/Belgian endives</b>	0.01*	0.01*	0.01*	0.02* (+)	0.03*	0.01*	0.01*	0.01*	0.05*	0.01*
0256000	<b>(f) herbs and edible flowers</b>	0.3	0.02*	0.02*	2	6	0.02	20	0.02*		0.02*
0256010	Chervil				(+)					0.6	
0256020	Chives				(+)					0.6	
0256030	Celery leaves				(+)					0.6	
0256040	Parsley				(+)					2	
0256050	Sage				(+)					2	
0256060	Rosemary				(+)					0.6	
0256070	Thyme				(+)					0.6	
0256080	Basil and edible flowers				(+)					0.6	
0256090	Laurel/bay leave				(+)					0.6	
0256100	Tarragon				(+)					0.6	
0256990	Others									0.6	
0260000	<b>Legume vegetables</b>	0.01*	0.01*		0.2			0.01*	0.01*	0.05*	0.01*
0260010	Beans (with pods)			0.01*	(+)	1.5	1.5				
0260020	Beans (without pods)			0.01*	(+)	0.03*	0.01*				
0260030	Peas (with pods)			<b>0.9</b>	(+)	1.5	<b>2</b>				
0260040	Peas (without pods)			<b>0.05</b>	(+)	0.7	1.5				
0260050	Lentils			0.01*	(+)	0.03*	0.01*				
0260990	Others			0.01*		0.03*	0.01*				
0270000	<b>Stem vegetables</b>	0.01*	0.01*	0.01*		0.03*		0.01*	0.01*		0.01*
0270010	Asparagus				0.01* (+)		0.01*			<b>0.1</b>	
0270020	Cardoons				0.01*		0.3			0.05*	
0270030	Celeries				0.3		0.3			0.1	

## [AnnexII]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
0270040	Florence fennels				0.3		0.3			0.1	
0270050	Globe artichokes				0.2 (+)		0.9			0.05* (+)	
0270060	Leeks				0.3 (+)		0.01*			0.05* (+)	
0270070	Rhubarbs				0.3		0.3			0.05*	
0270080	Bamboo shoots				0.01*		0.01*			0.05*	
0270090	Palm hearts				0.01*		0.01*			0.05*	
0270990	Others				0.01*		0.01*			0.05*	
0280000	<b>Fungi, mosses and lichens</b>	0.01*	0.01*	0.01*		0.03*	0.01*	0.01*		0.05*	0.01*
0280010	Cultivated fungi				0.05 (+)				0.5		
0280020	Wild fungi				0.01*				0.01*		
0280990	Mosses and lichens				0.01*				0.01*		
0290000	<b>Algae and prokaryotes organisms</b>	0.01*	0.01*	0.01*	0.01*	0.03*	0.01*	0.01*	0.01*	0.05*	0.01*
0300000	<b>PULSES</b>	0.01*	<b>0.2</b>	0.3		0.03*	4	0.01*	0.01*	0.15	0.01*
0300010	Beans				0.6 (+)						
0300020	Lentils				1 (+)						
0300030	Peas				1 (+)						
0300040	Lupins/lupini beans				1 (+)						
0300990	Others				0.02*						
0400000	<b>OILSEEDS AND OIL FRUITS</b>	0.01*							0.01*	0.05*	
0401000	<b>Oilseeds</b>										
0401010	Linseeds		0.15	0.02*	0.02* (+)	0.06*	9	0.01*			0.02*
0401020	Peanuts/groundnuts		<b>0.04</b>	0.02*	0.02*	0.06*	0.01*	0.01*			0.02*
0401030	Poppy seeds		0.15	0.02*	0.2 (+)	0.06*	9	0.01*			0.02*
0401040	Sesame seeds		0.01*	0.02*	0.02* (+)	0.06*	0.01*	0.01*			0.02*
0401050	Sunflower seeds		0.01*	0.02*	0.05* (+)	0.06*	0.1	0.01*			<b>0.3</b>
0401060	Rapeseeds/canola seeds		<b>0.2</b>	0.05	<b>0.2</b>	0.06*	9	<b>0.015</b>			0.02*
0401070	Soyabeans		<b>0.08</b>	0.3	0.02*	0.06*	15	0.01*			<b>0.05</b>
0401080	Mustard seeds		0.15	0.02*	0.07* (+)	0.06*	4	0.01*			0.02*
0401090	Cotton seeds		0.15	0.5	0.02* (+)	0.2	<b>0.7</b>	0.01*			0.02*
0401100	Pumpkin seeds		0.01*	0.02*	0.02* (+)	0.06*	5	0.01*			0.02*
0401110	Safflower seeds		0.01*	0.02*	0.02* (+)	0.06*	9	0.01*			0.02*
0401120	Borage seeds		0.01*	0.02*	0.2 (+)	0.06*	4	0.01*			0.02*
0401130	Gold of pleasure seeds		0.15	0.02*	0.07* (+)	0.06*	9	0.01*			0.02*
0401140	Hemp seeds		0.01*	0.02*	0.2 (+)	0.06*	0.01*	0.01*			0.02*
0401150	Castor beans		0.01*	0.02*	0.2 (+)	0.06*	0.01*	0.01*			0.02*
0401990	Others		0.01*	0.02*	0.02*	0.06*	0.01*	0.01*			0.02*
0402000	<b>Oil fruits</b>		0.01*	0.02*		0.06*	0.01*	0.01*			0.02*
0402010	Olives for oil production				0.6 (+)						
0402020	Oil palms kernels				0.02*						
0402030	Oil palms fruits				0.02*						
0402040	Kapok				0.02*						
0402990	Others				0.02*						
0500000	<b>CEREALS</b>						0.01*	0.01*		0.05*	0.01*
0500010	Barley	0.05	1.5	0.05*	2 (+)	0.4			0.6		
0500020	Buckwheat and other pseudo-cereals	0.01*	0.01*	0.01*	2 (+)	0.03*			0.01*		
0500030	Maize/corn	0.01*	0.02	0.05*	2 (+)	0.03*			0.01*		
0500040	Common millet/proso millet	0.01*	0.01*	0.01*	2 (+)	0.03*			0.01*		
0500050	Oat	0.01*	1.5	0.01*	2 (+)	0.4			0.6		
0500060	Rice	0.01*	0.01*	0.01*	1 (+)	0.03*			0.01*		
0500070	Rye	0.01*	0.1	0.01*	2 (+)	2 (+)			0.07		
0500080	Sorghum	0.01*	0.01*	0.01*	2 (+)	0.03*			0.01*		
0500090	Wheat	0.05	0.1	0.5	1 (+)	2 (+)			0.07		
0500990	Others	0.01*	0.01*	0.01*	0.02*	0.03*			0.01*		
0600000	<b>TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS</b>	0.05*				0.1*		0.05*	0.05*		
0610000	<b>Teas</b>		0.05*	30	5 (+)		0.05*			0.05*	0.05*
0620000	<b>Coffee beans</b>		<b>0.15</b>	0.05*	0.1*		0.05*			0.05*	<b>0.3</b>
0630000	<b>Herbal infusions from</b>		0.05*	0.1 (+)							0.05*
0631000	<b>(a) flowers</b>				15		0.04* (+)			0.05*	
0631010	Chamomile				(+)						
0631020	Hibiscus/roselle				(+)						
0631030	Rose				(+)						
0631040	Jasmine				(+)						
0631050	Lime/linden				(+)						

[AnnexII]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
0631990	Others										
0632000	<b>(b) leaves and herbs</b>				15		0.04* (+)			0.05*	
0632010	Strawberry				(+)						
0632020	Rooibos				(+)						
0632030	Mate/maté				(+)						
0632990	Others										
0633000	<b>(c) roots</b>				0.3		4 (+)			0.5	
0633010	Valerian				(+)						
0633020	Ginseng				(+)						
0633990	Others										
0639000	<b>(d) any other parts of the plant</b>				0.1*		0.05*			0.05*	
0640000	<b>Cocoa beans</b>		0.05*	0.05*	0.1*		0.05*			0.05*	0.05*
0650000	<b>Carobs/Saint John's breads</b>		0.05*	0.05*	0.1*		0.05*			0.05*	0.05*
0700000	<b>HOPS</b>	0.05*	0.05*	20	0.1*	3 (+)	0.05* (+)	0.05*	80	0.05*	0.05*
0800000	<b>SPICES</b>										
0810000	<b>Seed spices</b>	0.05*	0.05*	0.05*	0.1*	0.1*	0.03* (+)	0.05*	0.05*	0.05*	0.05*
0810010	Anise/aniseed										
0810020	Black caraway/black cummin										
0810030	Celery										
0810040	Coriander										
0810050	Cumin										
0810060	Dill										
0810070	Fennel										
0810080	Fenugreek										
0810090	Nutmeg										
0810990	Others										
0820000	<b>Fruit spices</b>	0.05*	0.05*	0.03	15	0.1*	0.03* (+)	0.05*	0.05*	0.05*	0.05*
0820010	Allspice/pimento				(+)						
0820020	Sichuan pepper				(+)						
0820030	Caraway				(+)						
0820040	Cardamom				(+)						
0820050	Juniper berry				(+)						
0820060	Peppercorn (black, green and white)				(+)						
0820070	Vanilla				(+)						
0820080	Tamarind				(+)						
0820990	Others										
0830000	<b>Bark spices</b>	0.05*	0.05*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
0830010	Cinnamon										
0830990	Others										
0840000	<b>Root and rhizome spices</b>						(+)				
0840010	Liquorice	0.05*	0.05*	0.05	0.5 (+)	0.1*	4	0.05*	0.05*	0.05*	0.05*
0840020	Ginger	0.05*	0.15	0.05	0.5 (+)	0.1*	4	0.05*	0.05*	0.05*	0.05*
0840030	Turmeric/curcuma	0.05*	0.15	0.05	0.5 (+)	0.1*	4	0.05*	0.05*	0.05*	0.05*
0840040	Horseradish	(+)	(+)	(+)	(+)	(+)	(+)	(+)	(+)	(+)	(+)
0840990	Others	0.05*	0.05*	0.05	0.5	0.1*	4	0.05*	0.05*	0.05*	0.05*
0850000	<b>Bud spices</b>	0.05*	0.05*	0.05*	15	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
0850010	Cloves				(+)						
0850020	Capers				(+)						
0850990	Others										
0860000	<b>Flower pistil spices</b>	0.05*	0.05*	0.05*	15	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
0860010	Saffron				(+)						
0860990	Others										
0870000	<b>Aril spices</b>	0.05*	0.05*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
0870010	Mace										
0870990	Others										
0900000	<b>SUGAR PLANTS</b>	0.01*		0.01*		0.03*		0.01*	0.01*		0.01*
0900010	Sugar beet roots		0.01*		0.02* (+)		0.5			0.05*	
0900020	Sugar canes		0.04		0.01*		0.01*			0.05*	
0900030	Chicory roots		0.01*		0.04 (+)		0.01*			0.2	
0900990	Others		0.01*		0.01*		0.01*			0.05*	
1000000	<b>PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS</b>										(+)
1010000	<b>Tissues from</b>	0.02*						0.01*			0.05
1011000	<b>(a) swine</b>										

[AnnexII]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S-methyl (sum of acibenzolar-S-methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S-methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
1011010	Muscle		0.01*	0.2	0.03 (+)	0.15	0.02 (+)		0.01*	0.01*	
1011020	Fat tissue		0.03	3	0.5 (+)	0.05	0.04 (+)		0.01*	0.2	
1011030	Liver		0.1	0.2	0.03* (+)	0.2	0.03 (+)		0.01	0.05	
1011040	Kidney		0.1	0.2	0.03* (+)	0.2	0.06 (+)		0.01	0.05	
1011050	Edible offals (other than liver and kidney)		0.1	3	0.5 (+)	0.2	0.06		0.01	0.05	
1011990	Others		0.01*	0.01*	0.02*	0.03	0.01*		0.01*	0.01*	
1012000	<b>(b) bovine</b>										
1012010	Muscle		0.01*	0.2	0.03 (+)	0.15	0.02 (+)		0.01*	0.01*	
1012020	Fat tissue		0.03	3	0.5 (+)	0.05	0.04 (+)		0.01*	0.2	
1012030	Liver		0.1	0.2	0.03* (+)	0.2	0.03 (+)		0.01	0.05	
1012040	Kidney		0.1	0.2	0.03* (+)	0.2	0.07 (+)		0.01	0.05	
1012050	Edible offals (other than liver and kidney)		0.1	3	0.5 (+)	0.2	0.07		0.01	0.05	
1012990	Others		0.01*	0.01*	0.02*	0.04	0.01*		0.01*	0.01*	
1013000	<b>(c) sheep</b>										
1013010	Muscle		0.01*	0.2	0.03 (+)	0.15	0.02 (+)		0.01*	0.01*	
1013020	Fat tissue		0.03	3	0.5 (+)	0.05	0.04 (+)		0.01*	0.2	
1013030	Liver		0.1	0.2	0.03* (+)	0.2	0.03 (+)		0.01	0.05	
1013040	Kidney		0.1	0.2	0.03* (+)	0.2	0.07 (+)		0.01	0.05	
1013050	Edible offals (other than liver and kidney)		0.1	3	0.5 (+)	0.2	0.07		0.01	0.05	
1013990	Others		0.01*	0.01*	0.02*	0.04	0.01*		0.01*	0.01*	
1014000	<b>d) goat</b>										
1014010	Muscle		0.01*	0.2	0.03 (+)	0.15	0.02 (+)		0.01*	0.01*	
1014020	Fat tissue		0.03	3	0.5 (+)	0.05	0.04 (+)		0.01*	0.2	
1014030	Liver		0.1	0.2	0.03* (+)	0.2	0.03 (+)		0.01	0.05	
1014040	Kidney		0.1	0.2	0.03* (+)	0.2	0.07 (+)		0.01	0.05	
1014050	Edible offals (other than liver and kidney)		0.1	3	0.5 (+)	0.2	0.07		0.01	0.05*	
1014990	Others		0.01*	0.01*	0.02*	0.04	0.01*		0.01*	0.01*	
1015000	<b>(e) equine</b>										
1015010	Muscle		0.01*	0.2	0.03	0.15	0.02		0.01*	0.01*	
1015020	Fat tissue		0.03	3	0.5	0.05	0.04		0.01*	0.2	
1015030	Liver		0.1	0.2	0.03*	0.2	0.03		0.01	0.05	
1015040	Kidney		0.1	0.2	0.03*	0.2	0.07		0.01	0.05	
1015050	Edible offals (other than liver and kidney)		0.1	3	0.5	0.2	0.07		0.01	0.05	
1015990	Others		0.01*	0.01*	0.02*	0.04	0.01*		0.01*	0.01*	
1016000	<b>(f) poultry</b>		0.01*						0.01*	0.01*	
1016010	Muscle			0.05*	0.02* (+)	0.1	0.02 (+)				
1016020	Fat tissue			0.05*	0.1 (+)	0.05	0.02 (+)				
1016030	Liver			0.01*	0.02* (+)	0.1	0.04 (+)				
1016040	Kidney			0.01*	0.02* (+)	0.1	0.01*				
1016050	Edible offals (other than liver and kidney)			0.01*	0.02* (+)	0.1	0.04				
1016990	Others			0.01*	0.02*	0.03	0.01*				
1017000	<b>(g) other farmed terrestrial animals</b>										
1017010	Muscle		0.01*	0.2	0.03	0.15	0.02		0.01*	0.01*	
1017020	Fat tissue		0.03	3	0.5	0.05	0.04		0.01*	0.2	
1017030	Liver		0.1	0.2	0.03*	0.2	0.03		0.01	0.05	
1017040	Kidney		0.1	0.2	0.03*	0.2	0.07		0.01	0.05	
1017050	Edible offals (other than liver and kidney)		0.1	3	0.5	0.2	0.07		0.01	0.05	
1017990	Others		0.01*	0.01*	0.02*	0.04	0.01*		0.01*	0.01*	
1020000	<b>Milk</b>	0.01*	0.01*	0.2	0.05	0.15	0.08	0.01*	0.01*	0.02	0.05
1020010	Cattle				(+)		(+)				
1020020	Sheep				(+)		(+)				
1020030	Goat				(+)		(+)				
1020040	Horse										
1020990	Others										
1030000	<b>Birds eggs</b>	0.02*	0.01*	0.01* (+)	0.02*	0.15	0.02 (+)	0.01*	0.01*	0.01*	0.05
1030010	Chicken				(+)						
1030020	Duck				(+)						
1030030	Geese				(+)						
1030040	Quail				(+)						
1030990	Others										
1040000	<b>Honey and other apiculture products</b>	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
1050000	<b>Amphibians and Reptiles</b>	0.02*	0.01*	0.01*	0.02*	0.02*	0.01*	0.01*	0.01*	0.01*	0.05
1060000	<b>Terrestrial invertebrate animals</b>	0.02*	0.01*	0.01*	0.02*	0.02*	0.01*	0.01*	0.01*	0.01*	0.05

**[AnnexII]**

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
1070000	<b>Wild terrestrial vertebrate animals</b>	0.02*	0.01*	0.01*	0.02*	0.02*	0.01*	0.01*	0.01*	0.01*	0.05

(\*) Limit of analytical determination

(a) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(F) = Fat soluble

**Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 26 June 2016, or, if that information is not submitted by that date, the lack of it.

**0163030 Mangoes**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish****Benzovindiflupyr**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish****Bifenthrin (sum of isomers) (F)**

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 3 February 2019, or, if that information is not submitted by that date, the lack of it.

**0110000 Citrus fruits****0152000 (b) strawberries****0153000 (c) cane fruits**

(+) Occurrence data show that a lower MRL than 0,1 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When reviewing the MRL, the Commission will take into account the information, if it is submitted by 3 February 2020 or, if that information is not submitted by that date, the lack of it.

**0630000 Herbal infusions from**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish**

[AnnexII]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
-------------	--	---	------------------	---------------------------------	-------------------------------------	--	--	------------	-----------------	-------------------	-------------------

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 3 February 2019, or, if that information is not submitted by that date, the lack of it.

**1030000 Birds eggs**

**Deltamethrin (cis-deltamethrin) (F)**

(+) The European Food Safety Authority identified some information on analytical methods and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

**0110010 Grapefruits**

**0110020 Oranges**

**0110030 Lemons**

**0110040 Limes**

**0110050 Mandarins**

**0120010 Almonds**

**0120020 Brazil nuts**

**0120030 Cashew nuts**

**0120040 Chestnuts**

**0120050 Coconuts**

**0120060 Hazelnuts/cobnuts**

**0120070 Macadamias**

**0120080 Pecans**

**0120090 Pine nut kernels**

**0120100 Pistachios**

**0120110 Walnuts**

**0130010 Apples**

**0130020 Pears**

**0130030 Quinces**

**0130040 Medlars**

**0130050 Loquats/Japanese medlars**

**0140010 Apricots**

**0140020 Cherries (sweet)**

**0140030 Peaches**

**0140040 Plums**

**0151010 Table grapes**

**0151020 Wine grapes**

**0152000 (b) strawberries**

**0153010 Blackberries**

**0153020 Dewberries**

**0153030 Raspberries (red and yellow)**

**[AnnexII]**

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
0154010	Blueberries										
0154020	Cranberries										
0154030	Currants (black, red and white)										
0154040	Gooseberries (green, red and yellow)										
0154050	Rose hips										
0154060	Mulberries (black and white)										
0154070	Azaroles/Mediterranean medlars										
0154080	Elderberries										
0161030	Table olives										
0162010	Kiwi fruits (green, red, yellow)										
(+)	The European Food Safety Authority identified some information on analytical methods, processing trials and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.										
0211000	(a) potatoes										
(+)	The European Food Safety Authority identified some information on analytical methods and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.										
0213010	Beetroots										
0213020	Carrots										
0213030	Celeriacs/turnip rooted celeries										
0213040	Horseradishes										
0213050	Jerusalem artichokes										
0213060	Parsnips										
0213070	Parsley roots/Hamburg roots parsley										
0213080	Radishes										
0213090	Salsifies										
0213100	Swedes/rutabagas										
0213110	Turnips										
0220010	Garlic										
0220020	Onions										
0220030	Shallots										
0220040	Spring onions/green onions and Welsh onions										
0231010	Tomatoes										
0231020	Sweet peppers/bell peppers										
0231030	Aubergines/eggplants										
0232010	Cucumbers										
0232020	Gherkins										
0232030	Courgettes										
0233010	Melons										

[AnnexII]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
0233020	Pumpkins										
0233030	Watermelons										
0234000	(d) sweet corn										
0241010	Broccoli										
0241020	Cauliflowers										
0242010	Brussels sprouts										
0242020	Head cabbages										
0243010	Chinese cabbages/pe-tsai										
0243020	Kales										
0244000	(d) kohlrabies										
0251010	Lamb's lettuces/corn salads										
0251020	Lettuces										
0251030	Escaroles/broad-leaved endives										
0251040	Cresses and other sprouts and shoots										
0251050	Land cresses										
0251060	Roman rocket/rucola										
0251070	Red mustards										
0251080	Baby leaf crops (including brassica species)										
0252010	Spinaches										
0252020	Pursianes										
0252030	Chards/beet leaves										
0253000	(c) grape leaves and similar species										
0254000	(d) watercresses										
0255000	(e) witloofs/Belgian endives										
0256010	Chervil										
0256020	Chives										
0256030	Celery leaves										
0256040	Parsley										
0256050	Sage										
0256060	Rosemary										
0256070	Thyme										
0256080	Basil and edible flowers										
0256090	Laurel/bay leave										
0256100	Tarragon										
0260010	Beans (with pods)										
0260020	Beans (without pods)										
0260030	Peas (with pods)										
0260040	Peas (without pods)										
0260050	Lentils										

**[AnnexII]**

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
-------------	--	---	------------------	---------------------------------	-------------------------------------	--	--	------------	-----------------	-------------------	-------------------

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

**0270010 Asparagus**

(+) The European Food Safety Authority identified some information on analytical methods and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

**0270050 Globe artichokes**

**0270060 Leeks**

**0280010 Cultivated fungi**

(+) The European Food Safety Authority identified some information on analytical methods, storage conditions of samples and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

**0300010 Beans**

**0300020 Lentils**

**0300030 Peas**

**0300040 Lupins/lupini beans**

(+) The European Food Safety Authority identified some information on analytical methods and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

**0401010 Linseeds**

**0401030 Poppy seeds**

**0401040 Sesame seeds**

**0401050 Sunflower seeds**

**0401080 Mustard seeds**

**0401090 Cotton seeds**

**0401100 Pumpkin seeds**

**0401110 Safflower seeds**

**0401120 Borage seeds**

**0401130 Gold of pleasure seeds**

**0401140 Hemp seeds**

**0401150 Castor beans**

**0402010 Olives for oil production**

(+) The European Food Safety Authority identified some information on analytical methods, storage conditions of samples and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

**0500010 Barley**

**0500020 Buckwheat and other pseudo-cereals**

**0500030 Maize/corn**

[AnnexII]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S-methyl (sum of acibenzolar-S-methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S-methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
-------------	--	--	------------------	---------------------------------	-------------------------------------	--	--	------------	-----------------	-------------------	-------------------

0500040 Common millet/proso millet

0500050 Oat

0500060 Rice

0500070 Rye

0500080 Sorghum

0500090 Wheat

(+) The European Food Safety Authority identified some information on analytical methods and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

0610000 Teas

0631010 Chamomile

0631020 Hibiscus/roselle

0631030 Rose

0631040 Jasmine

0631050 Lime/linden

0632010 Strawberry

0632020 Rooibos

0632030 Mate/maté

0633010 Valerian

0633020 Ginseng

0820010 Allspice/pimento

0820020 Sichuan pepper

0820030 Caraway

0820040 Cardamom

0820050 Juniper berry

0820060 Peppercorn (black, green and white)

0820070 Vanilla

0820080 Tamarind

0840010 Liquorice

0840020 Ginger

0840030 Turmeric/curcuma

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

(+) The European Food Safety Authority identified some information on analytical methods and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

0850010 Cloves

[AnnexII]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
0850020	Capers										
0860010	Saffron										
0900010	Sugar beet roots										
0900030	Chicory roots										
<p>(+) The European Food Safety Authority identified some information on analytical methods and livestock metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.</p>											
1011010	Muscle										
1011020	Fat tissue										
1011030	Liver										
1011040	Kidney										
1011050	Edible offals (other than liver and kidney)										
<p>(+) The European Food Safety Authority identified some information on analytical methods, livestock metabolism and livestock feeding studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.</p>											
1012010	Muscle										
1012020	Fat tissue										
1012030	Liver										
1012040	Kidney										
1012050	Edible offals (other than liver and kidney)										
1013010	Muscle										
1013020	Fat tissue										
1013030	Liver										
1013040	Kidney										
1013050	Edible offals (other than liver and kidney)										
1014010	Muscle										
1014020	Fat tissue										
1014030	Liver										
1014040	Kidney										
1014050	Edible offals (other than liver and kidney)										
1016010	Muscle										
1016020	Fat tissue										
1016030	Liver										
1016040	Kidney										
1016050	Edible offals (other than liver and kidney)										
1020010	Cattle										
1020020	Sheep										
1020030	Goat										
1030010	Chicken										

**[AnnexII]**

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
-------------	--	---	------------------	---------------------------------	-------------------------------------	--	--	------------	-----------------	-------------------	-------------------

**1030020 Duck****1030030 Geese****1030040 Quail****Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Fonicamid — code 1000000, except code 1040000: Sum of fonicamid and TFNA-AM, expressed as fonicamid

- (+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2018, or, if that information is not submitted by that date, the lack of it.

**0110000 Citrus fruits**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2018, or, if that information is not submitted by that date, the lack of it.

**0140020 Cherries (sweet)****0140040 Plums****0231010 Tomatoes****0231030 Aubergines/eggplants****0232030 Courgettes****0233000 (c) cucurbits with inedible peel**

- (+) The European Food Safety Authority identified some information on hydrolysis study in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2018, or, if that information is not submitted by that date, the lack of it.

**0500070 Rye****0500090 Wheat**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2018, or, if that information is not submitted by that date, the lack of it.

**0700000 HOPS**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish****Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 June 2018, or, if that information is not submitted by that date, the lack of it.

[AnnexII]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
0631000	(a) flowers										
0632000	(b) leaves and herbs										
0633000	(c) roots										
0700000	HOPS										
0810000	Seed spices										
0820000	Fruit spices										
0840010	Liquorice										
0840020	Ginger										
0840030	Turmeric/curcuma										
	(+) The applicable maximum residue level for horseradish ( <i>Armoracia rusticana</i> ) in the spice group (code 0840040) is the one set for horseradish ( <i>Armoracia rusticana</i> ) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.										
0840040	Horseradish										
	(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 June 2018, or, if that information is not submitted by that date, the lack of it.										
0840990	Others										
1011010	Muscle										
1011020	Fat tissue										
1011030	Liver										
1011040	Kidney										
1012010	Muscle										
1012020	Fat tissue										
1012030	Liver										
1012040	Kidney										
1013010	Muscle										
1013020	Fat tissue										
1013030	Liver										
1013040	Kidney										
1014010	Muscle										
1014020	Fat tissue										
1014030	Liver										
1014040	Kidney										
1016010	Muscle										
1016020	Fat tissue										
1016030	Liver										
1020010	Cattle										
1020020	Sheep										
1020030	Goat										

[AnnexII]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
-------------	--	---	------------------	---------------------------------	-------------------------------------	--	--	------------	-----------------	-------------------	-------------------

1030000 Birds eggs

**Isofetamid**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

**Metrafenone (F)**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

**Pendimethalin (F)**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

0152000 (b) strawberries

0220010 Garlic

0220020 Onions

0220030 Shallots

0231010 Tomatoes

0231020 Sweet peppers/bell peppers

0231030 Aubergines/eggplants

0232000 (b) cucurbits with edible peel

0233000 (c) cucurbits with inedible peel

0270050 Globe artichokes

0270060 Leeks

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

**Teflubenzuron (F)**

(+) The European Food Safety Authority identified some information on hydrolysis study in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2018, or, if that information is not submitted by that date, the lack of it.

[AnnexII]

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (a)	Acibenzolar-S- methyl (sum of acibenzolar-S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S- methyl)	Benzovindiflupyr	Bifenthrin (sum of isomers) (F)	Deltamethrin (cis-deltamethrin) (F)	Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R)	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	Isofetamid	Metrafenone (F)	Pendimethalin (F)	Teflubenzuron (F)
-------------	--	---	------------------	---------------------------------	-------------------------------------	--	--	------------	-----------------	-------------------	-------------------

**0130010 Apples**

(+) The European Food Safety Authority identified some information on metabolism study in leafy crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2018, or, if that information is not submitted by that date, the lack of it.

**0242010 Brussels sprouts**

**0242020 Head cabbages**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish**

(+) The European Food Safety Authority identified some information on analytical methods for animal origin products and metabolism studies in ruminant and poultry as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2018, or, if that information is not submitted by that date, the lack of it.

**1000000 PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS**