

Brussels, XXX SANTE/10055/2015 ANNEX CIS Rev. 1 (POOL/E5/2015/10055-10055R1-EN ANNEX CIS.doc) [...](2016) XXX draft

ANNEX 1

[...]

## **ANNEX**

to the

COMMISSION IMPLEMENTING REGULATION (EU) .../...

concerning the provisional authorisation of a preparation of formaldehyde as a feed additive for chickens for fattening, laying hens, piglets (weaned) and pigs for fattening

EN EN

## **ANNEX**

Identi- fication number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maxi- mum age	Minimum content  mg of active substance/kg of complete feedingstuff with a moisture content of 12%		Other provisions	End of period of authorisa- tion			
Category of	Category of technological additives. Functional group: hygiene condition enhancers (reduction of the contamination of Salmonella spp)											
1n01	-	Formaldehyde	Additive composition  Preparation of formaldehyde ≥34%  Methanol: max. 15 % (v/v)  Formic acid: max. 0.05% (v/v)  (liquid form)	Chickens for fattening	-	200	600	The additive shall only be used in feed where contamination by Salmonella spp has been detected.	[to be completed by the Service responsible for the publica- tion: insert precise date 3 years			
			(chemical synthesis)  Analytical method  For the determination of formaldehyde in the feed additive: titration according to ISO 2227-1972 or Eur. Ph. 6.0, method 01/2008:0826  For the determination of formaldehyde in premixtures and feedingstuffs: Reversed Phase High Performance Liquid	Laying hens		200	470	from the date of entry into force of this Regulation]				

Details of the analytical methods are available at the following address of the Reference Laboratory: https://ec.europa.eu/jrc/en/eurl/feed-additives/evaluation-reports

	Chromatography coupled to Diode-Array detection (RP-HPLC-DAD).	Piglets (weaned)	200	630	
		Pigs for fattening			