

ANNEX

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b05035	Undec-10-enal	<p>Additive composition Undec-10-enal</p> <p>Characterisation of active substance Undec-10-enal Produced by chemical synthesis Purity: min. 94% Chemical formula: C₁₁H₂₀O CAS number: 112-45-8 FLAVIS: 05.035</p> <p>-----</p> <p>Analytical method¹ For the identification of undec-10-enal in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

¹ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b09830	Terpineol acetate	<p>Additive composition Terpineol acetate</p> <p>Characterisation of active substance Terpineol acetate Produced by chemical synthesis Purity: min. 96. % Chemical formula: C₁₂H₂₀O₂ CAS number: 8007-35-0 FLAVIS: 09.830</p> <p>-----</p> <p>Analytical method² For the identification of terpineol acetate in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 10 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

² Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b02016	d,l-Borneol	<p>Additive composition d,l-Borneol</p> <p>Characterisation of active substance d,l-Borneol Produced by chemical synthesis Purity: min. 97 % Chemical formula: C₁₀H₁₈O CAS number: 507-70-0 FLAVIS: 02.016</p> <p>-----</p> <p>Analytical method³ For the identification of d,l-borneol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 15 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

³ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b07147	l-Carvone	<p>Additive composition l-Carvone</p> <p>Characterisation of active substance l-Carvone Produced by chemical synthesis Purity: min. 97 % Chemical formula: C₁₀H₁₄O CAS number: 6485-40-1 FLAVIS: 07.147</p> <p>-----</p> <p>Analytical method⁴ For the identification of l-carvone in the feed additive and in feed flavouring premixtures: - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.</p>	All animal species	-	-	10	<ol style="list-style-type: none"> The additive shall be incorporated into the feed in the form of a premixture. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. The additive shall not be used with other sources of l-carvone. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment. 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

⁴ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b07215	d-Camphor ⁵	<p>Additive composition</p> <p>d-Camphor</p> <p>Characterisation of active substance</p> <p>d-Camphor</p> <p>Produced by chemical synthesis</p> <p>Purity: min. 98%</p> <p>Chemical formula: C₁₀H₁₆O</p> <p>CAS number: 464-49-3</p> <p>FLAVIS: 07.215</p> <p>-----</p> <p>Analytical method⁶</p> <p>For the identification of d-camphor in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and 	[10 years from the date of entry into force of this Regulation. To be completed by the OP]

Kommenterede [RA(1)]: DE proposed deletion: term should be deleted because there no synonym in the EU database of flavourings COM. Better to keep as it is informative. In the opinion sometimes the synonym is used. In any case, in our data base the name of the additive will correspond to the name in the food data base of flavourings. In any case if there is a strong opposition we will delete. To discuss

⁵ Synonym: (1R)-1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one

⁶ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							organisational measures to address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b09218	d,l-Isobornyl acetate	<p>Additive composition d,l-Isobornyl acetate</p> <p>Characterisation of active substance d,l-Isobornyl acetate Produced by chemical synthesis Purity: min. 97 % Chemical formula: C₁₂H₂₀O₂ CAS number: 125-12-2 FLAVIS: 09.218</p> <p>-----</p> <p>Analytical method⁷ For the identification of d,l-isobornyl acetate in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

⁷ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							organisational measures to address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b10005	3-Propylidenephthalide	<p>Additive composition 3-Propylidenephthalide</p> <p>Characterisation of active substance 3-Propylidenephthalide Produced by chemical synthesis Purity: min.96% Chemical formula: C₁₁H₁₀O₂ CAS number: 17369-59-4 FLAVIS: 10.005</p> <p>-----</p> <p>Analytical method⁸ For the identification of 3-propylidenephthalide in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

⁸ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							organisational measures to address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b08038	Phenylacetic acid	<p>Additive composition Phenylacetic acid</p> <p>Characterisation of active substance Phenylacetic acid Produced by chemical synthesis Purity: min. 99 % Chemical formula: C₈H₈O₂ CAS number: 103-82-2 FLAVIS: 08.038</p> <p>-----</p> <p>Analytical method⁹ For the identification of phenylacetic acid in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 25 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

⁹ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b09749	Methyl salicylate	<p>Additive composition Methyl salicylate</p> <p>Characterisation of active substance Methyl salicylate Produced by chemical synthesis Purity: min. 98 % Chemical formula: C₈H₈O₃ CAS number: 119-36-8 FLAVIS: 09.749</p> <p>-----</p> <p>Analytical method¹⁰ For the identification of methyl salicylate in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	50	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. The additive shall not be used with other sources of methyl salicylate. 4. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment. 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

¹⁰ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b04006	Thymol	<p>Additive composition Thymol</p> <p>Characterisation of active substance Thymol Produced by chemical synthesis Purity: min. 98 % Chemical formula: C₁₀H₁₄O CAS number: 89-83-8 FLAVIS: 04.006</p> <p>-----</p> <p>Analytical method¹¹ For the identification of thymol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	125	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. The additive shall not be used with other sources of thymol. 4. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment. 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

¹¹ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b04031	Carvacrol	<p>Additive composition Carvacrol</p> <p>Characterisation of active substance Carvacrol Produced by chemical synthesis Purity: min. 98 % Chemical formula: C₁₀H₁₄O CAS number: 499-75-2 FLAVIS: 04.031</p> <p>-----</p> <p>Analytical method¹² For the identification of carvacrol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	125	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. The additive shall not be used with other sources of carvacrol. 4. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment. 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

¹² Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b15016	Benzothiazole	<p>Additive composition Benzothiazole</p> <p>Characterisation of active substance Benzothiazole Produced by chemical synthesis Purity: min. 96% Chemical formula: C₇H₅NS CAS number: 95-16-9 FLAVIS: 15.016</p> <p>-----</p> <p>Analytical method¹³ For the identification of benzothiazole in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 0,5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

¹³ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b01005	Terpinolene	<p>Additive composition Terpinolene</p> <p>Characterisation of active substance Terpinolene Produced by chemical synthesis or by fractional or steam distillation of essential oils. Purity: min. 95% Chemical formula: C₁₀H₁₆ CAS number: 586-62-9 FLAVIS: 01.005</p> <p>-----</p> <p>Analytical method¹⁴ For the identification of terpinolene in the feed additive and in feed flavouring premixtures: - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.</p>	All animal species	-	-	-	<ol style="list-style-type: none"> The additive shall be incorporated into the feed in the form of a premixture. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 14,5 mg." The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

¹⁴ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b02059	<i>d,l</i> -Isoborneol	<p>Additive composition <i>d,l</i>-Isoborneol</p> <p>Characterisation of active substance <i>d,l</i>-Isoborneol Produced by chemical synthesis Purity: min. 95% Chemical formula: C₁₀H₁₈O CAS number: 124-76-5 FLAVIS: 02.059</p> <p>-----</p> <p>Analytical method¹⁵ For the identification of <i>d,l</i>-isoborneol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

¹⁵ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b07176	trans-Menthone	<p>Additive composition trans-Menthone</p> <p>Characterisation of active substance trans-Menthone Produced by chemical synthesis Purity: min. 96% Chemical formula: C₁₀H₁₈O CAS number: 89-80-5 FLAVIS: 07.176</p> <p>-----</p> <p>Analytical method¹⁶ For the identification of trans-menthone in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

¹⁶ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b09017	<i>d,l</i> -Bornyl acetate	<p>Additive composition <i>d,l</i>-Bornyl acetate</p> <p>Characterisation of active substance <i>d,l</i>-Bornyl acetate Produced by chemical synthesis Purity: min. 98 % Chemical formula: C₁₂H₂₀O₂ CAS number: 76-49-3 FLAVIS: 09.017</p> <p>-----</p> <p>Analytical method¹⁷ For the identification of <i>d,l</i>-bornyl acetate in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

¹⁷ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b10024	3-Butylidenephthalide	<p>Additive composition 3-Butylidenephthalide</p> <p>Characterisation of active substance 3-Butylidenephthalide Produced by chemical synthesis Purity: min. 99% Chemical formula: C₁₂H₁₂O₂ CAS number: 551-08-6 FLAVIS: 10.024</p> <p>-----</p> <p>Analytical method¹⁸ For the identification of 3-butylidenephthalide in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

¹⁸ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b05030	Phenylacetaldehyde	<p>Additive composition Phenylacetaldehyde</p> <p>Characterisation of active substance Phenyl acetaldehyde Produced by chemical synthesis Purity: min. 95% Chemical formula: C₈H₈O CAS number: 122-78-1 FLAVIS: 05.030</p> <p>-----</p> <p>Analytical method¹⁹ For the identification of phenylacetaldehyde in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

¹⁹ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b09031	Phenethyl acetate	<p>Additive composition Phenethyl acetate</p> <p>Characterisation of active substance Phenethyl acetate Produced by chemical synthesis Purity: min. 98% Chemical formula: C₁₀H₁₂O₂ CAS number: 103-45-7 FLAVIS: 09.031</p> <p>-----</p> <p>Analytical method²⁰ For the identification of phenethyl acetate in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

²⁰ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b09707	Phenethyl phenylacetate	<p>Additive composition Phenethyl phenylacetate</p> <p>Characterisation of active substance Phenethyl phenylacetate Produced by chemical synthesis Purity: min. 98% Chemical formula: C₁₆H₁₆O₂ CAS number: 102-20-5 FLAVIS: 09.707</p> <p>-----</p> <p>Analytical method²¹ For the identification of phenethyl phenylacetate in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

²¹ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b09783	Methyl phenylacetate	<p>Additive composition Methyl phenylacetate</p> <p>Characterisation of active substance Methyl phenylacetate Produced by chemical synthesis Purity: min. 97% Chemical formula: C₉H₁₀O₂ CAS number: 101-41-7 FLAVIS: 09.783</p> <p>-----</p> <p>Analytical method²² For the identification of methyl phenylacetate in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 10 g." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

²² Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b09784	Ethyl phenylacetate	<p>Additive composition Ethyl phenylacetate</p> <p>Characterisation of active substance Ethyl phenylacetate Produced by chemical synthesis Purity: min. 97% Chemical formula: C₁₀H₁₂O₂ CAS number: 101-97-3 FLAVIS: 09.784</p> <p>-----</p> <p>Analytical method²³ For the identification of ethyl phenylacetate in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 10 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

²³ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b09788	Isobutyl phenylacetate	<p>Additive composition Isobutyl phenylacetate</p> <p>Characterisation of active substance Isobutyl phenylacetate Produced by chemical synthesis Purity: min. 98% Chemical formula: C₁₂H₁₆O₂ CAS number: 102-13-6 FLAVIS: 09.788</p> <p>-----</p> <p>Analytical method²⁴ For the identification of isobutyl phenylacetate in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 10 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

²⁴ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b09789	3-Methylbutyl phenylacetate	<p>Additive composition 3-Methylbutyl phenylacetate</p> <p>Characterisation of active substance 3-Methylbutyl phenylacetate Produced by chemical synthesis Purity: min. 97% Chemical formula: C₁₃H₁₈O₂ CAS number: 102-19-2 FLAVIS: 09.789</p> <p>-----</p> <p>Analytical method²⁵ For the identification of 3-methylbutyl phenylacetate in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 25 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

²⁵ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b04005	2-Methoxyphenol	<p>Additive composition 2-Methoxyphenol</p> <p>Characterisation of active substance 2-Methoxyphenol Produced by chemical synthesis Purity: min. 98% Chemical formula: C₇H₈O₂ CAS number: 90-05-1 FLAVIS: 04.005</p> <p>-----</p> <p>Analytical method²⁶ For the identification of 2-methoxyphenol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

²⁶ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b04007	2-Methoxy-4-methylphenol	<p>Additive composition 2-Methoxy-4-methylphenol</p> <p>Characterisation of active substance 2-Methoxy-4-methylphenol Produced by chemical synthesis Purity: min. 98% Chemical formula: C₈H₁₀O₂ CAS number: 93-51-6 FLAVIS: 04.007</p> <p>-----</p> <p>Analytical method²⁷ For the identification of 2-methoxy-4-methylphenol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

²⁷ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b04008	4-Ethylguaiaicol	<p>Additive composition 4-Ethylguaiaicol</p> <p>Characterisation of active substance 4-Ethylguaiaicol Produced by chemical synthesis Purity: min. 98% Chemical formula: C₉ H₁₂ O₂ CAS number: 2785-89-9 FLAVIS: 04.008</p> <p>-----</p> <p>Analytical method²⁸ For the identification of 4-ethylguaiaicol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

²⁸ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b04009	2-Methoxy-4-vinylphenol	<p>Additive composition 2-Methoxy-4-vinylphenol</p> <p>Characterisation of active substance 2-Methoxy-4-vinylphenol Produced by chemical synthesis Purity: min. 96% Chemical formula: C₉H₁₀O₂ CAS number: 7786-61-0 FLAVIS: 04.009</p> <p>-----</p> <p>Analytical method²⁹ For the identification of 2-methoxy-4-vinylphenol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

²⁹ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b04022	4-Ethylphenol	<p>Additive composition 4-Ethylphenol</p> <p>Characterisation of active substance 4-Ethylphenol Produced by chemical synthesis Purity: min. 99% Chemical formula: C₈H₁₀O CAS number: 123-07-9 FLAVIS: 04.022</p> <p>-----</p> <p>Analytical method³⁰ For the identification of 4-ethylphenol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

³⁰ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b04027	2-Methylphenol	<p>Additive composition 2-Methylphenol</p> <p>Characterisation of active substance 2-Methylphenol Produced by chemical synthesis Purity: min. 98% Chemical formula: C₇H₈O CAS number: 95-48-7 FLAVIS: 04.027</p> <p>-----</p> <p>Analytical method³¹ For the identification of 2-methylphenol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

³¹ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b04028	4-Methylphenol	<p>Additive composition 4-Methylphenol</p> <p>Characterisation of active substance 4-Methylphenol Produced by chemical synthesis Purity: min. 99% Chemical formula: C₇H₈O CAS number: 106-44-5 FLAVIS: 04.028</p> <p>-----</p> <p>Analytical method³² For the identification of 4-methylphenol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

³² Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b04036	2,6-Dimethoxyphenol	<p>Additive composition 2,6-Dimethoxyphenol</p> <p>Characterisation of active substance 2,6-Dimethoxyphenol Produced by chemical synthesis Purity: min. 98% Chemical formula: C₈H₁₀O₃ CAS number: 91-10-1 FLAVIS: 04.036</p> <p>-----</p> <p>Analytical method³³ For the identification of 2,6-dimethoxyphenol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

³³ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b04041	Phenol	<p>Additive composition Phenol</p> <p>Characterisation of active substance Phenol Produced by chemical synthesis Purity: min. 98% Chemical formula: C₆H₆O CAS number: 108-95-2 FLAVIS: 04.041 -----</p> <p>Analytical method³⁴ For the identification of phenol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

³⁴ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b04042	2,6-Dimethylphenol	<p>Additive composition 2,6-Dimethylphenol</p> <p>Characterisation of active substance 2,6-Dimethylphenol Produced by chemical synthesis Purity: min. 99% Chemical formula: C₈H₁₀O CAS number: 576-26-1 FLAVIS: 04.042</p> <p>-----</p> <p>Analytical method³⁵ For the identification of 2,6-dimethylphenol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

³⁵ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b04044	2-Isopropylphenol	<p>Additive composition 2-Isopropylphenol</p> <p>Characterisation of active substance 2-Isopropylphenol Produced by chemical synthesis Purity: min. 98% Chemical formula: C₉H₁₂O CAS number: 88-69-7 FLAVIS: 04.044</p> <p>-----</p> <p>Analytical method³⁶ For the identification of 2-isopropylphenol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

³⁶ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b04047	Benzene-1,3-diol ³⁷⁾	<p>Additive composition</p> <p>Benzene-1,3-diol</p> <p>Characterisation of active substance</p> <p>Benzene-1,3-diol</p> <p>Produced by chemical synthesis</p> <p>Purity: min. 98%</p> <p>Chemical formula: C₆H₆O₂</p> <p>CAS number: 108-46-3</p> <p>FLAVIS: 04.047</p> <p>-----</p> <p>Analytical method³⁸⁾</p> <p>For the identification of benzene-1,3-diol in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

Kommenterede [RA(2)]: DE proposed deletion: term should be deleted because there no synonym in the EU database of flavourings COM. Better to keep as it is informative. In the opinion sometimes the synonym is used. In any case, in our data base the name of the additive will correspond to the name in the food data base of flavourings. In any case if there is a strong opposition we will delete. To discuss

³⁷⁾ Synonim : Resorcinol.

³⁸⁾ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							organisational measures to address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b01006	alpha-Phellandrene	<p>Additive composition alpha-Phellandrene</p> <p>Characterisation of active substance alpha-Phellandrene Produced by chemical synthesis or by fractional or steam distillation of essential oils. Purity: min. 95% Chemical formula: C₁₀H₁₆ CAS number: 99-83-2 FLAVIS: 01.006</p> <p>-----</p> <p>Analytical method³⁹ For the identification of alpha-phellandrene in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

³⁹ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b01019	alpha-Terpinene	<p>Additive composition alpha-Terpinene</p> <p>Characterisation of active substance alpha-Terpinene Produced by chemical synthesis or by fractional or steam distillation of essential oils. Purity: min. 89 % Chemical formula: C₁₀H₁₆ CAS number: 99-86-5 FLAVIS: 01.019</p> <p>-----</p> <p>Analytical method⁴⁰ For the identification of alpha-terpinene in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

⁴⁰ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b01020	gamma-Terpinene	<p>Additive composition gamma-Terpinene</p> <p>Characterisation of active substance gamma-Terpinene Produced by chemical synthesis or by fractional or steam distillation of essential oils. Purity: min. 95% Chemical formula: C₁₀H₁₆ CAS number: 99-85-4 FLAVIS: 01.020</p> <p>-----</p> <p>Analytical method⁴¹ For the identification of gamma-terpinene in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

⁴¹ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
2b01046	l-Limonene	<p>Additive composition</p> <p>l-Limonene</p> <p>Characterisation of active substance</p> <p>l-Limonene</p> <p>Produced by chemical synthesis or by fractional or steam distillation of essential oils.</p> <p>Purity: min. 95%</p> <p>Chemical formula: C₁₀H₁₆</p> <p>CAS number: 5989-54-8</p> <p>FLAVIS: 01.046</p> <p>-----</p> <p>Analytical method⁴²</p> <p>For the identification of l-Limonene in the feed additive and in feed flavouring premixtures:</p> <ul style="list-style-type: none"> - Gas chromatography mass spectrometry with retention time locking GC-MS-RTL. 	All animal species	-	-	-	<ol style="list-style-type: none"> 1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 3. On the label of the additive, the following shall be indicated: "Recommended maximum content of the active substance per kg of complete feedingstuff with a moisture content of 12%: 5 mg." 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level on the label of the premixture would result in exceeding the level referred to in point 3. 5. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to 	<i>[10 years from the date of entry into force of this Regulation. To be completed by the OP]</i>

⁴² Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en.

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of active substance/kg of complete feedingstuff with a moisture content of 12%			
Category: Sensory additives. Functional group: Flavouring compounds								
							address the potential risks resulting from their use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal breathing, eye and skin protective equipment.	

