

ANNEX

Identification number of the feed additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of additive/kg of complete feedingstuff with a moisture content of 12%			
Category: technological additives. Functional group: preservatives								
1a260	Acetic acid	<p>Additive composition</p> <p>Acetic acid ≥ 99.8 %</p> <p>Liquid form</p> <p>Characterisation of the active substance</p> <p>Acetic acid ≥ 99.8 %</p> <p>C₂H₄O₂</p> <p>CAS no 64-19-7</p> <p>Water ≤ 0.15%</p> <p>Non volatile matter ≤ 30 mg/kg</p> <p>Formic acid and its salts and other oxidisable material ≤ 0.5 g/kg</p> <p>Produced by chemical synthesis including cellulose production (as a by-product)</p> <p>Method of Analysis¹</p> <p>For the determination of acetic acid as total acetic acid in the feed additive, premixtures and compound feed : Ion Chromatography with Conductivity Detection, IC-CD (EN 17294)</p>	Fish	-	-	2 500	<ol style="list-style-type: none"> 1. The mixture of different sources of acetic acid shall not exceed the permitted maximum levels in complete feedingstuffs. 2. For users of the additive and premixtures, feed business operators shall establish operational procedures and appropriate organisational measures to address the potential risks resulting from its use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal skin, eye and breathing protective equipment. 3. In the directions for use of the additive, premixture and related feedingstuffs, the following labelling provisions shall be indicated: “The simultaneous use of different organic acids is contraindicated where one or more of them is used at or near the maximum permitted content”. 	<i>[to be completed by the OP: insert precise date 10 years from the date of entry into force of this Regulation]</i>

¹ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en

Identification number of the additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of additive/kg of complete feedingstuff with a moisture content of 12%			
Category: technological additives. Functional group: preservatives								
1a262	Sodium diacetate	<p>Additive composition</p> <p>Sodium diacetate ≥ 97 %</p> <p>Solid form</p> <p>Characterisation of the active substance</p> <p>Sodium diacetate (anhydrous and trihydrate)</p> <p>NaC₄H₇O₄</p> <p>CAS no 126-96-5</p> <p>Sodium acetate ≥ 58 %</p> <p>Acetic acid ≥ 39 %</p> <p>Water ≤ 2%</p> <p>Formic acid and its salts and other oxidisable material ≤ 1g/kg</p> <p>Produced by chemical synthesis</p> <p>Method of Analysis¹</p> <p>For the determination of sodium in the feed additive: EN ISO 6869: atomic absorption spectrometry (AAS) or EN 15510: inductively coupled plasma-atomic emission spectrometry (ICP-AES)</p> <p>For the determination of sodium diacetate as total acetic acid in the feed additive, premixtures and compound feed : Ion Chromatography with Conductivity Detection, IC-CD (EN 17294)</p>	Fish	-	-	2 500 (as acetic acid)	<ol style="list-style-type: none"> 1. The mixture of different sources of acetic acid shall not exceed the permitted maximum levels in complete feedingstuffs. 2. For users of the additive and premixtures, feed business operators shall establish operational procedures and appropriate organisational measures to address the potential risks resulting from its use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal skin, eye and breathing protective equipment. 3. In the directions for use of the additive, premixture and related feedingstuffs, the following labelling provisions shall be indicated: “The simultaneous use of different organic acids is contraindicated where one or more of them is used at or near the maximum permitted content”. 	<i>[to be completed by the OP: insert precise date 10 years from the date of entry into force of this Regulation]</i>

¹Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en

Identification number of the additive	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg of additive/kg of complete feedingstuff with a moisture content of 12%			
Category: technological additives. Functional group: preservatives								
1a263	Calcium acetate (anhydrous and monohydrate)	<p>Additive composition</p> <p>Calcium acetate ≥ 98.7 %</p> <p>Solid form</p> <p>Characterisation of the active substance</p> <p>Calcium acetate ≥ 98.7 %</p> <p>C₄H₆CaO₄</p> <p>CAS no 62-54-4</p> <p>Water ≤ 6%</p> <p>Formic acid and its salts and other oxidisable material ≤ 1g/kg</p> <p>Produced by chemical synthesis</p> <p>Method of Analysis¹</p> <p>For the determination of calcium in the feed additive: EN ISO 6869: atomic absorption spectrometry (AAS) or EN 15510: inductively coupled plasma-atomic emission spectrometry (ICP-AES)</p> <p>For the determination of calcium acetate as total acetic acid in the feed additive, premixtures and compound feed : Ion Chromatography with Conductivity Detection, IC-CD (EN 17294)</p>	Fish	-	-	2 500 (as acetic acid)	<ol style="list-style-type: none"> The mixture of different sources of acetic acid shall not exceed the permitted maximum levels in complete feedingstuffs. For users of the additive and premixtures, feed business operators shall establish operational procedures and appropriate organisational measures to address the potential risks resulting from its use. Where those risks cannot be eliminated by such procedures and measures, the additive and premixtures shall be used with personal skin, eye and breathing protective equipment. In the directions for use of the additive, premixture and related feedingstuffs, the following labelling provisions shall be indicated: “The simultaneous use of different organic acids is contraindicated where one or more of them is used at or near the maximum permitted content”. 	<i>[to be completed by the OP: insert precise date 10 years from the date of entry into force of this Regulation]</i>

¹Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en