

*This draft has not been adopted or endorsed by the European Commission. Any views expressed are the preliminary views of the Commission services and may not in any circumstances be regarded as stating an official position of the Commission. The information transmitted is intended only for the Member State or entity to which it is addressed for discussions and may contain confidential and/or privileged material.*

**SANTE 11183-2018 Rev.2**

**ANNEX**

**to the**

**COMMISSION REGULATION (EU) No .../...**

**amending Regulation (EC) No 1881/2006 as regards maximum levels of perfluoroalkyl substances in certain foodstuffs.**

**ANNEX**

The following section is added:

‘Section X: Perfluoroalkyl substances [*Publication office please add the section number, which follows the last available section number*]

		Maximum Levels				
		µg/kg wet weight				
<b>Foodstuffs <sup>(1)</sup></b>		<b>PFOS*</b>	<b>PFOA*</b>	<b>PFNA*</b>	<b>PFHxS*</b>	<b>Sum of PFOS, PFOA, PFNA and PFHxS*, **</b>
X.1	Eggs	0,70	0,30	0,30	0,30	1,50
X.2	Fishery products <sup>26</sup> and bivalve molluscs <sup>26</sup>					
X.2.1	Fish meat <sup>24, 25</sup>					
X.2.1.1	Muscle meat of fish except those listed under X.2.1.2 and X.2.1.3.	2,0	0,10	0,10	0,10	2,0
	Muscle meat of fish listed in X.2.1.2 and X.2.1.3 in case they are intended for the					

*This draft has not been adopted or endorsed by the European Commission. Any views expressed are the preliminary views of the Commission services and may not in any circumstances be regarded as stating an official position of the Commission. The information transmitted is intended only for the Member State or entity to which it is addressed for discussions and may contain confidential and/or privileged material.*

	production of food for infants and young children.					
X.2.1.2	Muscle meat of the following fish, in case they are not intended for the production of food for infants and young children.: Baltic herring ( <i>Clupea harengus membras</i> ) Bonito ( <i>Sarda and Orcynopsis species</i> ) Burbot ( <i>Lota lota</i> ) European sprat ( <i>Sprattus sprattus</i> ) Flounder ( <i>Platichthys flesus and Glyptocephalus cynoglossus</i> ) Grey mullet ( <i>Mugil cephalus</i> ) Pike-perch ( <i>Sander species</i> ), Plaice ( <i>Pleuronectes and Lepidopsetta species</i> ) Sardine and pilchard ( <i>Sardina species</i> ) Seabass ( <i>Dicentrarchus species</i> ) Sea catfish ( <i>Silurus and Pangasius species</i> ) Sea lamprey ( <i>Petromyzon marinus</i> ) Vendace ( <i>Coregonus albula and Coregonus vandesius</i> ) Whitefish ( <i>Coregonus species</i> ) Wild salmon (wild <i>Salmo salar</i> ) Wolf fish ( <i>Anarchichas species</i> )	7,0	1,0	2,5	0,10	8,0
X.2.1.3	Muscle meat of the following fish, in case they are not intended for the production of food for infants and young children:  Anchovy ( <i>Engraulis species</i> ) Babel ( <i>Barbus barbus</i> ) Bream ( <i>Abramis species</i> ) Char ( <i>Salvelinus species</i> ) Eel ( <i>Anguilla species</i> ) Perch ( <i>Perca flubiatilis</i> ) Roach ( <i>Rutilus rutilus</i> ) Smelt ( <i>Osmerus species</i> )	35,0	8,0	8,0	1,5	45,0
X.2.2	Crustaceans <sup>26, 44</sup> and bivalve molluscs <sup>26</sup>	3,0	0,70	1,0	0,40	3,0

*This draft has not been adopted or endorsed by the European Commission. Any views expressed are the preliminary views of the Commission services and may not in any circumstances be regarded as stating an official position of the Commission. The information transmitted is intended only for the Member State or entity to which it is addressed for discussions and may contain confidential and/or privileged material.*

X.3	Meat and edible offal <sup>6</sup>					
X.3.1	Meat of bovine animals, sheep, pig and poultry	0,10	0,80	0,10	0,10	1,30
X.3.2	Offal of bovine animals, sheep, pig and poultry	6,0	0,70	0,40	0,50	9,0
X.3.3	Meat of game animals	5,0	3,50	1,50	0,60	9,0
X.3.4	Offal of game animals	50	25	45	3,0	50

\* The maximum level applies to the sum of linear and branched stereoisomers, whether they are chromatographically separated or not.

\*\* For the sum of PFOS, PFOA, PFNA and PFHxS lower bound concentrations are calculated on the assumption that all the values below the limit of quantification are zero.